





# TOWN OF RIVERHEAD

Sean M. Walter, Supervisor  
200 Howell Avenue  
Riverhead, New York 11901-2596  
631-727-3200

BID # \_\_\_\_\_

**BID FOR: ONE (1) 2017 OR 2018 NEW OR USED (Low hours and Warranty) TRACTOR WITH CAB AND LOADER**

Malvese Equipment Co., Inc.  
BIDDERS NAME

1 Henrietta St  
BIDDERS ADDRESS

Hicksville, NY 11801  
CITY, STATE, ZIP

12/1/17      ( 516 ) 681-7600  
DATE              PHONE NUMBER


EMAIL ADDRESS: info@malveseequipment.com

In compliance with your advertisement for bids to be opened on **December 6, 2017** and subject to all conditions thereof, the undersigned hereby proposes to furnish the item(s) and/or service(s) itemized in this proposal in accordance with the Notice to Bidders, General Information Agreement and Specifications contained herein on the Bid Proposal Form attached.

Bidder certifies that the prices quoted herein do not include Federal Excise Tax or any Federal, New York State or City Sales Tax and are not higher than prices charged to any governmental or commercial consumer for like merchandise and/or service; and all prices include shipping and freight charges to any Municipal building or site within the Town of Riverhead.

(THIS PAGE MUST BE COMPLETED, SIGNED, AND RETURNED WITH BID)

Respectfully submitted,

  
Signed By Otto Cooley

Vice President  
Title:

BIDDERS ARE INVITED TO ATTEND BID OPENING

V. Bid Sheet

**ONE (1) 2017 OR 2018 NEW OR USED TRACTOR  
WITH CAB AND LOADER**

The Tractor must include all major standard equipment for the make and model 2017 or 2018 tractor, cab, and loader, together with such additional equipment listed below:

Mahindra 2555, 4WD, Tractor, Loader with Cab

as detailed and equipped

I, Otto Cooley, certify that the tractor with cab and loader described above and offered for sale is (circle and initial) NEW or USED with less than 50 hours, good repair, condition and working order with only ordinary wear and tear from proper use and no rust/rot of exterior of tractor. In addition, the tractor with cab and loader and all components are fully operational.

**BID PRICE:** \$ 29,652.00

Delivery Date:      /      / 20 15-20 Days ARO

Warranty Information:

Full Machine 2 Years / 2,000 Hrs

Powertrain 3 Years / 3,000 Hrs

Service Location: 232 E. Old Country Rd. Riverhead, NY 11901

Name of Bidder: Malvese Equipment Co., Inc.

Address of Bidder: 1 Henrietta St. Hicksville, NY 11801

Telephone Number: 516 681-7600

Email: ocooley@malveseequipment.com

**VI. Exceptions to Specifications  
REQUIRED DATA**  
**(Please complete for any exception to the specifications)**

\_\_\_\_\_  
(Identify on the line above Year, Model)

Please identify the exceptions to the specifications by checking the appropriate box (see VI (A) below) and provide description of item(s) offered for consideration and/or as and for "equivalent" (see VI (B) below).

A. Please check appropriate boxes to identify exception to bid specifications set for in Part III of these specifications:

- |  |   |
|--|---|
| <input checked="checked" type="checkbox"/> | Year  |
| <input type="checkbox"/>                   | Hours and/or Odometer Reading   |
| <input type="checkbox"/>                   | Drive/Hp  |
| <input type="checkbox"/>                   | Fuel & Fuel Capacity  |
| <input type="checkbox"/>                   | Tires   |
| <input type="checkbox"/>                   | Condition of Tractor Engine/Mechanical/Parts (good repair, condition and working order) |

- |                          |  |
|--------------------------|--|
| <input type="checkbox"/> | Loader Size or Lift Capacity                 |
| <input type="checkbox"/> | Hard Cab Roof                                |
| <input type="checkbox"/> | Safety Glass                                 |
| <input type="checkbox"/> | Dual Doors                                   |
| <input type="checkbox"/> | Cab lights                                   |
| <input type="checkbox"/> | Inside/outside controls                      |
| <input type="checkbox"/> | Delivery must be within 30 days of bid award |
| <input type="checkbox"/> | Warranty                                     |
| <input type="checkbox"/> | Other: _____                                 |

B. Exceptions to the specifications of any items stated in the specifications shall be fully described in writing by the contractor in the space provided below:

\_\_\_\_\_  
The production year of the Tractor is 2016.

\_\_\_\_\_  
For retail, it is registered as New with full machine  
\_\_\_\_\_  
warranties and status. All benefits are similar to 2017  
\_\_\_\_\_  
or 2018.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DATE: 12 / 4 / 2017

SIGNED:  Otto Cooley

TITLE: Vice President

# 2500 SERIES



- #1 Selling Tractor in the World
- 5-year Powertrain Warranty


- 97% Customer Satisfaction Rating
- 98% Customer Loyalty Rating



**mCRD**™



DEMING PRIZE  
2003



JAPAN QUALITY MEDAL  
2007

**Mahindra**  
*Rise.*

# TRACTOR SPECIFICATIONS

| TRACTOR                              | 2540 Shuttle                                | 2555 Shuttle   | 2555 HST       | 2555 Shuttle Cab   | 2555 HST Cab   | 2565 Shuttle Cab                         |
|--------------------------------------|---|--|----------------|--|----------------|--|
| ENGINE                               |   |  |                |  |                |  |
| Type                                 | Naturally aspirated direct injection diesel | Four stroke, direct injection, turbo-charged and intercooled, diesel |                | Four stroke, direct injection, turbo-charged and intercooled, diesel |                |  |
| Cylinders                            | 4   | 3  |                | 3  |                |  |
| Engine HP (kW) @ rpm                 | 40 (29.4) @ 2600                            | 55 (41) @ 2300   |                | 55 (41) @ 2300   |                | 65 (48.4) @ 2300                         |
| Compression Ratio                    | 19.5:1                                      | 17.2:1   |                | 17.2:1   |                |  |
| Displacement cubic inch³ [cc]        | 166.7 (2730)                                | 161.5 (2648)   |                | 161.5 (2648)   |                |  |
| Fuel Tank Capacity                   | 9.0 gallons                                 | 16 gallons   |                | 16 gallons   |                | 18.5 gallons                             |
| ELECTRICAL                           |   |  |                |  |                |  |
| Battery Capacity                     | 12 volt, 96 amp hours                       |  |                | 12 volt, 96 amp hours  |                |  |
| Alternator                           | 12V 45A                                     | 12V 90A  |                | 12V, 90A   |                |  |
| CLUTCH                               |   |  |                |  |                |  |
| Type                                 | Single plate, dry                           |  | N/A            | Single plate, dry  | N/A            | Single plate, dry                        |
| TRANSMISSION                         |   |  |                |  |                |  |
| Type                                 | Sync, shuttle w/ part synchromesh           |  | HST - 3 ranges | Sync, shuttle w/ part synchromesh                                    | HST - 3 ranges | Sync, shuttle w/ part synchromesh        |
| Number of Gears / Speeds             | 12F / 12R                                   |  | Infinite       | 12F / 12R  | Infinite       | 12F / 12R                                |
| STEERING                             |   |  |                |  |                |  |
| Type                                 | Hydrostatic/ Tilttable                      |  |                | Hydrostatic/ Tilttable   |                |  |
| Pump Output (gallons per minute)     | 4.5   | 5  |                | 5  | 5.4            |  |
| BRAKES                               |   |  |                |  |                |  |
| Type                                 | Wet Disc                                    |  |                | Wet Disc   |                |  |
| HYDRAULIC SYSTEM                     |   |  |                |  |                |  |
| Type                                 | Open Center with Position Control           | Open Center with telescoping stabilizers & flex link ends            |                | Open Center with telescoping stabilizers & flex link ends            |                |  |
| Pump Output (gallons per minute)     | 8.2   | 9.5  | 9.7            | 9.5  | 9.7            | 11                                       |
| 3-Point Linkage                      | Category 1 with check chains                |  |                | Category 1 with check chains   |                | Category 2, with telescopic check chains |
| Lift Capacity (lbs.)                 | 2646  | 3314   |                | 3314   |                | 3527                                     |
| Rear Auxiliary Remote Valves         | 2 spool optional                            | 1 Standard   |                | 1 Standard, 3 optional   |                |  |
| PTO                                  |   |  |                |  |                |  |
| Type                                 | Independent                                 |  |                | Independent  |                |  |
| PTO RPM (engine rpm)                 | 540 @ 2650                                  | 540 @ 2300   |                | 540 @ 2300   |                |  |
| PTO HP (kW)                          | 35 (26.1)                                   | 44.5 (32.7)  | 42.4 (31.6)    | 44.5 (32.7)  | 42.4 (31.6)    | 50 (36.8)                                |
| OPERATING WEIGHT                     |   |  |                |  |                |  |
| Total (lbs.)                         | 3285  | 4056   |                | 4299   |                | 5070                                     |
| DIMENSIONS with Industrial Tires     |   |  |                |  |                |  |
| Overall Length Inches (mm)           | 119.3 (3030)                                | 134.1 (3406)   |                | 134.1 (3406)   |                | 142 (3608)                               |
| Overall Width Inches (mm)            | 59.8 (1520)                                 | 71.1 (1807)  |                | 71.5 (1817)  |                |  |
| Turning Radius Minimum Feet (meters) | 7.87 (2.4)                                  | 11 (3.36)  |                | 11 (3.36)  |                | 12.5 (3.81)                              |
| Overall Height inches (mm)           | 94.4 (2400)                                 | 102 (2590)   |                | 102 (2590)   |                | 99.2 (2520)                              |
| TIRES Sizes and Options              |   |  |                |  |                |  |
| Ag (Front / Rear)                    | 8.3x16 / 12.4x24                            | 9.5x16 / 14.9x24   |                | 9.5x16 / 14.9x24   |                | 9.5x20 / 14.9x28                         |
| Industrial (Front / Rear)            | 10-16.5 / 43x16-20                          | 12x16.5 / 16.9x24  |                | 12x16.5 / 16.9x24  |                | 10.5/80x18 / 18.4x24                     |
| Golf Tires                           | N/A   | LSW305-521 / LSW570-648 6PR  |                | LSW305-521 / LSW570-648 6PR  |                |  |

Specifications and design subject to change without notice.



# TOWN OF RIVERHEAD

Sean M. Walter, Supervisor  
200 Howell Avenue  
Riverhead, New York 11901-2596  
631-727-3200

BID # \_\_\_\_\_

**BID FOR: ONE (1) 2017 OR 2018 NEW OR USED (Low hours and Warranty) TRACTOR WITH CAB AND LOADER**

Farm-Rite inc.  
BIDDERS NAME

3853 Middle Country Rd.  
BIDDERS ADDRESS

Calverton, N.Y. 11933  
CITY, STATE, ZIP

11/24/17 (631) 284-3127  
DATE PHONE NUMBER

EMAIL ADDRESS: sfreeman@farm-rite.com

In compliance with your advertisement for bids to be opened on **December 6, 2017** and subject to all conditions thereof, the undersigned hereby proposes to furnish the item(s) and/or service(s) itemized in this proposal in accordance with the Notice to Bidders, General Information Agreement and Specifications contained herein on the Bid Proposal Form attached.

Bidder certifies that the prices quoted herein do not include Federal Excise Tax or any Federal, New York State or City Sales Tax and are not higher than prices charged to any governmental or commercial consumer for like merchandise and/or service; and all prices include shipping and freight charges to any Municipal building or site within the Town of Riverhead.

(THIS PAGE MUST BE COMPLETED, SIGNED, AND RETURNED WITH BID)

Respectfully submitted,

Sean M. Walter

Signed By:

Proctor Spt

Title:

BIDDERS ARE INVITED TO ATTEND BID OPENING

V. Bid Sheet

**ONE (1) 2017 OR 2018 NEW OR USED TRACTOR**  
**WITH CAB AND LOADER**

The Tractor must include all major standard equipment for the make and model 2017 or 2018 tractor, cab, and loader, together with such additional equipment listed below:

---

---

---

---

---

I, Steve Thuman, certify that the tractor with cab and loader described above and offered for sale is (circle and initial) NEW or USED with less than 50 hours, good repair, condition and working order with only ordinary wear and tear from proper use and no rust/rot of exterior of tractor. In addition, the tractor with cab and loader and all components are fully operational.

BID PRICE: \$ 41,854.53

Delivery Date: 12/20/17

Warranty Information:

Basic Full Tractor 24 Months / 2,000 hours  
Power Train 36 Months / 3,000 hours

Service Location: Farm-Rite, Calverton, NY or On-Site Repair

Name of Bidder: FARM-Rite

Address of Bidder: 3853 Middle Country Rd - Calverton -

Telephone Number: 631 284-3127

Email: Steve@Farm-Rite.com



**VI. Exceptions to Specifications**  
**REQUIRED DATA**  
**(Please complete for any exception to the specifications)**

\_\_\_\_\_  
(Identify on the line above Year, Model)

Please identify the exceptions to the specifications by checking the appropriate box (see VI (A) below) and provide description of item(s) offered for consideration and/or as and for "equivalent" (see VI (B) below).

A. Please check appropriate boxes to identify exception to bid specifications set for in Part III of these specifications:

|                          |   |            |  |
|--------------------------|---|------------|--|
| <input type="checkbox"/> | Year  | 2017       |  |
| <input type="checkbox"/> | Hours and/or Odometer Reading   | 0.4        |  |
| <input type="checkbox"/> | Drive/Hp  | 70 h.p 4WD |  |
| <input type="checkbox"/> | Fuel & Fuel Capacity  | 23.8 gal   |  |
| <input type="checkbox"/> | Tires   | R-4 Ind    |  |
| <input type="checkbox"/> | Condition of Tractor Engine/Mechanical/Parts (good repair, condition and working order) | New        |  |
| <input type="checkbox"/> | Loader Size or Lift Capacity  | 2976 lbs   |  |
| <input type="checkbox"/> | Hard Cab Roof   | yes        |  |
| <input type="checkbox"/> | Safety Glass  | yes        |  |
| <input type="checkbox"/> | Dual Doors  | yes        |  |
| <input type="checkbox"/> | Cab lights  | yes        |  |
| <input type="checkbox"/> | Inside/outside controls   | yes        |  |
| <input type="checkbox"/> | Delivery must be within 30 days of bid award  | OK         |  |
| <input type="checkbox"/> | Warranty  | 3 years    |  |
| <input type="checkbox"/> | Other:  |            |  |

B. Exceptions to the specifications of any items stated in the specifications shall be fully described in writing by the contractor in the space provided below:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

DATE: 11/21/17  
SIGNED: [Signature]  
TITLE: P.S.

Date: 11/21/2017 7:50:57 AM

- Customer Information -

Tague, Mary Ann

Town of Riverhead

tague@townofriverheadny.gov

631-727-3200 ext. 27

Quote Provided By

Farm-Rite, Inc.

Stu Freeman

3853 Middle Country Rd.

Calverton, NY 11933

email: sfreeman@farm-rite.com

phone: 6312843127



- Standard Features -

- Custom Options -

**Kubota**

Not Available in Nebraska

M Series

**M7060HDC12  
UTILITY CAB TRACTOR, 4WD, HYDRAULIC-SHUTTLE  
TRANSMISSION**

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**DIESEL ENGINE**

Model # V3307-CR-TE4

CRS - Common Rail Fuel Injection

Electronic Governor Control

Turbocharged with EGR Valve

4 Cyl - 203 cu. in.

^ 71 Net Eng. HP

^ 64 PTO HP

EPA Tier IV Emission Certified

12V 700 CCA Battery

Charging Output 60 amps (CAB)

**DRIVE TRAIN****Twelve Speed Models**

HD12/HDC12 Models

Six Speed Fully Synchronized

12F/12R Speeds with Hydraulic

Shuttle

12TH Gear Overdrive maximum engine

RPM

2080, increases fuel economy

Planetary Final Drives

**SAFETY EQUIPMENT**

Flip-Up PTO Shield

Safety Start Switches

PTO - OPC (Operator Presence

Control, Alarm 10 seconds

Electric Key Shut Off

Mechanical Wet Disc Brakes

Parking Brakes

Turn Signals

SMV Sign

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Type

First Remote (SCD) with Self

Canceling Detents

**Twelve Speed Models**

6.1 gpm Power Steering

16.2 gpm Remotes / 3 Pt. Hitch

@ 2770 psi

23.1 gpm Total

Cat II 3-point Hitch

At lift Point 4200 lbs.

24" Behind 3307 lbs.

Telescoping Lower Links

Stabilizers

Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO

SAE 1 3/8" Six Spline

540/540E @ 1520 Eng. rpm on 12 speeds

**FRONT AXLE**

Hydrostatic Power Steering

4WD Bevel Gear

Cast Iron

55 Degree turning angle

Limited Slip Differential

Adj. (Rim) Tread Spacing

HDC12:

4WD Automatic braking from 2WD with  
both brakes appliedElectro/hydraulic engagement of front  
wheel drive**FLUID CAPACITY**

Fuel Tank (Cab) 23.8 gal

Cooling System 6.6 qts

Crankcase 8.5 qts

Transmission and

Hydraulics 10.6 gal

Front Axle (4WD) 8.5 qts

^ Manufacturer estimate.

**LIGHTING**

2 Headlights w/sidelights

2 Tail lights

4 Hazard Flasher Lights with Turn

Signals (CAB)

7 Pin Electrical Trailer Connector

**INSTRUMENTS**

Tachometer/Hour meter

Oil Pressure

Fuel Gauge

Coolant Temperature

M7060HDC12 Base Price: \$45,311.00

(1) FRONT LOADER / M6060/M7060 SERIES \$4,648.00

LA1154-FRONT LOADER / M6060/M7060 SERIES

(1) STANDARD VALVE KIT / M6060/M7060HDC \$981.00

M7996-STANDARD VALVE KIT / M6060/M7060HDC

(1) 72" TWO-LEVER QUICK ATTACH ROUND \$686.00

BACK BUCKET

M1811-72" TWO-LEVER QUICK ATTACH ROUND BACK  
BUCKET**Configured Price:** \$51,626.00**State of New York Discount:** (\$11,357.72)**SUBTOTAL:** \$40,268.28**Factory Assembly:** \$250.00**Dealer Assembly:** \$446.25**Freight Cost:** \$640.00**PDI:** \$250.00**Total Unit Price:** \$41,854.53**Quantity Ordered:** 1**Final Sales Price:** \$41,854.53

**Purchase Order Must Reflect  
the Final Sales Price**

**To order equipment - purchase orders must be made out and  
returned to:**

**Kubota Tractor Corporation****1000 Kubota Drive****Grapevine, TX 76051****or email NA.Support@kubota.com****or call 817-756-1171 or fax 844-582-1581**

*41,854.53*

**SELECTED TIRES**

AMR8797 &amp; ALR8917 INDUSTRIAL TIRES

FRONT - 14-17.5 R4 With 0.55" Inset

**\*All equipment specifications are as complete as possible as of the date on the quote. Additional attachments, options, or accessories may be added (or deleted) at the discounted price.** All specifications and prices are subject to change. Taxes are not included. The PDI fees and freight for attachments and accessories quoted may have additional charges added by the delivering dealer. These charges will be billed separately. Prices for product quoted are good for 60 days from the date shown on the quote. All equipment as quoted is subject to availability.

© 2017 Kubota Tractor Corporation. All rights reserved.