



Timothy Hubbard
Supervisor

Town of Riverhead
200 Howell Avenue
Riverhead, NY 11901

Teresa Baldinucci
Purchasing Agent
631-727-3200 Ext. 271

TO: Supervisor Hubbard; Deputy Supervisor Higgins; Councilpersons Kern, Merrifield, Rothwell, Waski; Julie O'Neill, Deputy Town Clerk; Frank Mancini, Superintendent of Water

CC: Eva Gregorovius, Purchasing Technician; Carol Delvecchio, Clerk's Office; Robin Halpin, Water District

FROM: Teresa Baldinucci, Purchasing Agent

DATE: March 4, 2024

RE: Bid Opening Report for Water Service Materials

3 bids were received and opened on February 29, 2024 at 11am; one of the bids contained no pricing in the appropriate pages:

T.Mina Supply, Inc.
17 Expressway Drive North
Medford, NY 11763
roberto.cano@tmina.com

Ferguson Waterworks
2619 Medford Ave
Medford, NY 11763
rick.gambone@ferguson.com

Core & Main LP
1536 Southern Blvd
Bronx, NY 10460
paul.meissuer@coreandmain.com

Results of the bid opening are attached. All bids have been forwarded to the Water District for review.



TOWN OF RIVERHEAD

Tim Hubbard, Supervisor

4 West 2nd Street
Riverhead, NY 11901
631-727-3200

BID # 2024-36-RWD

BID FOR: WATER SERVICE MATERIALS

T. Mina Supply LLC

BIDDERS NAME

17 Expressway Drive North

BIDDERS ADDRESS

Medford, NY 11763

CITY, STATE, ZIP

718-397-5200

718-397-5206

(631) 475-7400

(631) 475-7774

PHONE NUMBER

FAX NUMBER


roberto.cano@tmina.com

E-MAIL ADDRESS michael.royias@tmina.com

In compliance with your advertisement for bids to be opened on **February 29, 2024**, subject to all conditions thereof, the undersigned hereby proposes to furnish the item(s) and/or service(s) itemized in this proposal in accordance with the Notice to Bidders, General Information Agreement and Specifications contained herein on the Bid Proposal Form attached.

Bidder certifies that the prices quoted herein do not include Federal Excise Tax or any Federal, New York State or City Sales Tax and are not higher than prices charged to any governmental or commercial consumer for like merchandise and/or service; and all prices include shipping and freight charges to any Municipal building or site within the Town of Riverhead.

Respectfully submitted,



SIGNED BY Roberto Cano
Vice President, Sales

TITLE

BIDDERS ARE INVITED TO ATTEND BID OPENING

**TOWN OF RIVERHEAD
NOTICE TO BIDDERS**

Sealed bids for **WATER SERVICE MATERIALS** will be received by the Town Clerk of the Town of Riverhead at Town Hall, 4 West 2nd Street, Riverhead, New York, 11901, until **11:00 a.m. on February 29th, 2024**, at which time all bids will be opened and read aloud.

Bid Specifications and/or Plans may be obtained by visiting the Town of Riverhead website at www.townofriverheadny.gov/bids.aspx on or after February 15, 2024. Click on the title of the bid and follow the instructions to register.

The Town Board reserves the right and responsibility to reject any or all bids or to waive any formality if it believes such action to be in the best interest of the Town.

BY ORDER OF THE TOWN BOARD
OF THE TOWN OF RIVERHEAD

James M. Wooten, Town Clerk

BIDDER NAME: T. Mina Supply LLC

GENERAL SPECIFICATIONS

GENERAL

Bidders shall be responsible to carefully examine the Specifications enclosed.

Bidders shall furnish their price and/or lump sum bid as called for on the Bid Proposal Sheet(s) attached. Bids must specify Manufacturer lead times if longer than 30 days.

Alternates of equal or superior design and/or quality shall be listed separately and a Manufacturer's Specification Sheet shall be submitted with a bid. Failure to submit such data may result in the disallowing of said bid.

The equipment and all associated components shall be furnished complete and ready for use. The equipment furnished shall be the Manufacturer's latest listed and published model, or models, which meet all the applicable requirements of these Specifications. These Specifications require the doing of all things necessary or proper for, or incidental to, the furnishing and delivery of said equipment and associated components.

All things not expressly mentioned in these specifications, but involved in carrying out their intent are required by these Specifications; and the vendor shall perform the same as though they were specifically mentioned, described and delineated.

DISCOUNTS

If Bidder allows cash discount, it shall be as follows:

For payment within 15 days of delivery and/or receipt of voucher.

For payment within 30 days of delivery and/or receipt of voucher.

Discount less than 1% will not be considered.

Cash discounts will not be considered in determining low bidders, but will be taken into consideration in awarding tie bids.

COMPLIANCE WITH RULES AND REGULATIONS

The unit and associated equipment furnished shall comply with all provisions which would be applicable, if the Town of Riverhead were a private corporation of Federal and State of New York Laws, Ordinances, Codes, Rules, Regulations, Orders, Permits and Licenses and with fire underwriters requirement, except that where the weight and dimensions requirements set forth herein exceed such provisions, these Specifications shall control.

NO-LEAD COMPLIANCE

In January, 2011, Senate Bill 3874 was signed into law and created the **Reduction of Lead in Drinking Act**, which amended the Safe Drinking Water Act to reduce the allowable lead content in all products in contact with drinking water from 8.0% to 0.25% (weighted average). Therefore, any brass products must meet the no-lead compliance pursuant to the above.

DEVIATION

Minor deviations from the provisions of these Specifications will be considered to permit manufacturers to follow their standard manufacturing process.

Such deviations will be approved, however, only in the sole discretion of the Town of Riverhead and only if in its opinion they do not adversely affect the operation, maintenance, strength, efficiency, effectiveness, or life of the unit or any of its parts.

All proposed minor deviations, with full details, must be listed on a separate Detail Sheet, which must be attached to and made part of this bid.

The Town of Riverhead reserves the absolute right and responsibility in its sole discretion to accept or reject any or all bids, or parts thereof, and waive any formality if it believes such action to be in the best interest of the Town.

GUARANTEE

The vendor warrants and guarantees the equipment herein specified, including all associated equipment furnished, against any defects in design, workmanship and materials, and against failure to operate satisfactorily for a period of six months from the date of acceptance of the units, except defects or failure shown by the vendor. The vendor also warrants and guarantees that the equipment herein specified, if found to be defective or in need of repairs, will be picked up from and delivered back to the Town of Riverhead within a reasonable length of time.

PRICES

If a like or lower quantity of a standard item contained in this bid is sold by a vendor at a price less than the prices quoted herein, the price to the Town of Riverhead shall be reduced to that lower price.

QUANTITY

The Town of Riverhead is in no way obligated to purchase quantities neither shown nor limited to said quantities listed.

CONTRACT PERIOD

The contract period shall commence the date a resolution is adopted by the Town Board and shall run for a period of ONE (1) year from that date. The contract may be extended in 1 year increments (not to exceed two extensions) for a total three- (3) year contract upon the same terms and conditions at the sole discretion of the Town of Riverhead and with the consent of the vendor(s).

RESERVATIONS

The mention in the specifications of any unit, component, or equipment by brand name and/or model is meant to convey to the potential bidder the type and quality of the product required and desired by the Town. Any unit, component, or equipment which is of equal type and quality may be considered as such and may be acceptable to the Town, upon agreement by the Town Board to that fact. The decision of the Town Board, however, in such a circumstance is final.

Furthermore, the Town Board of the Town of Riverhead reserves the right and responsibility to reject any or all bids if they believe such action to be in the best interest of the Town.

BIDDER NAME: T. Mina Supply LLC

QUESTIONS

Any questions or clarification to the bid specifications must be submitted in writing to the Purchasing Agent at 4 West 2nd Street, Riverhead, NY 11901 or by email to: baldinucci@townofriverheadny.gov prior to the bid opening. Such questions must be in the possession of the Purchasing Agent at least 72 hours prior to the bid opening. **Verbal questions will not be entertained.**

FUEL SURCHARGES

The Town of Riverhead will not pay any type of fuel surcharge. Any fuel charges added to invoices and/or vouchers will be deleted from any payments to be made to the vendor.

DELIVERY

All pricing is to include delivery; the Town of Riverhead will not pay anything additional for delivery charges.

Delivery is to be made within **30 DAYS** after receipt of an order via purchase order. Lead time must be listed at the time of order on the order acknowledgement. Failure to do so will result in order cancellation and order being processed by the next bidder.

Notification of delivery must be made **24 hours** prior to accommodate receipt of goods or delivery may be refused.

All equipment delivered shall be delivered "on the ground" at the delivery point designated on the purchase order. All deliveries are F.O.B. destination.

IRAN DIVESTMENT ACT CERTIFICATION


As a result of the Iran Divestment Act of 2012 (Act), Chapter 1 of the 2012 Laws of New York, a new provision has been added to the State Finance Law (SFL), § 165-a, effective April 12, 2012. Under the Act, the Commissioner of the Office of General Services (OGS) will be developing a list (prohibited entities list) of "persons" who are engaged in "investment activities in Iran" (both are defined terms in the law). Pursuant to SFL § 165-a(3)(b), the initial list is expected to be issued no later than 120 days after the Act's effective date, at which time it will be posted on the OGS website.

By submitting a bid in response to this solicitation or by assuming the responsibility of a Contract awarded hereunder, Bidder/Contractor (or any assignee) certifies that once the prohibited entities list is posted on the OGS website, it will not utilize on such Contract any subcontractor that is identified on the prohibited entities list.

Additionally, Bidder/Contractor is advised that once the list is posted on the OGS website, any Contractor seeking to renew or extend a Contract or assume the responsibility of a Contract awarded in response to the solicitation, must certify at the time the Contract is renewed, extended or assigned that it is not included on the prohibited entities list.

During the term of the Contract, should the TOWN OF RIVERHEAD receive information that a person is in violation of the above-referenced certification, the TOWN OF RIVERHEAD will offer the person an opportunity to respond. If the person fails to demonstrate that it has ceased its engagement in the investment which is in violation of the Act within 90 days after the determination of such violation, then the TOWN OF RIVERHEAD shall take such action as may be appropriate including, but not limited to, imposing sanctions, seeking compliance, recovering damages, or declaring the Contractor in default.

The TOWN OF RIVERHEAD reserves the right to reject any bid or request for assignment for an entity that appears on the prohibited entities list prior to the award of a contract, and to pursue a responsibility review with respect to any entity that is awarded a contract and appears on the prohibited entities list after contract award.

Signature: 

Print Name: Roberto Cano

Title: Vice President, Sales

Company Name: T. Mina Supply LLC

Date: 2.26.24

BIDDER NAME: T. Mina Supply LLC

ATTENTION

BIDDERS

IF YOU ARE NOT INTERESTED IN BIDDING THIS PARTICULAR PROJECT, PLEASE COMPLETE THE ATTACHED SHEET AND RETURN IT TO US.

WE ARE VERY INTERESTED IN LEARNING WHY YOU DO NOT BID. IF YOU SELL OTHER PRODUCTS AND WANT TO BE ON OUR BIDDER'S LIST, PLEASE LET US KNOW. PROVIDE A CONTACT NAME AND OTHER PERTINENT INFORMATION IF YOU WISH TO BE CONTACTED AT A LATER DATE FOR ANOTHER PRODUCT.

BID # 2024-36-RWD
WATER SERVICE MATERIALS

NON-BIDDER'S RESPONSE

VENDOR NAME: _____

For purposes of facilitating your firm's response to our invitation to bid, the Town of Riverhead is interested in ascertaining reasons for prospective bidders' failure to respond to invitations to bid. If your firm is not responding to this bid, please indicate the reason(s) by checking the appropriate item(s) below and returning this form to the Town of Riverhead Purchasing department at 4 West 2nd Street, Riverhead, N.Y. 11901.

We are not responding to this invitation to bid for the following reason(s):

- Items or materials requested not manufactured by us or not available to our company.
- Our items and/or materials do not meet specifications.
- Specifications not clearly understood or applicable (too vague, too rigid, etc.)
- Quantities too small.
- Insufficient time allowed for preparation of bid.
- Incorrect address used.

Correct address is: _____

Other reason(s): _____

NON-COLLUSIVE CERTIFICATE
(MUST BE COMPLETED, SIGNED, NOTARIZED AND RETURNED WITH BID)

UNDER PENALTIES OF PERJURY:

Roberto Cano, V.P. Sales of T. Mina Supply LLC (BIDDER), BEING DULY SWORN,
DEPOSES AND SAYS:

- A) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- B) This bid or proposal has not knowingly been disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor, or potential competitor;
- C) No attempt has been made or will be made to induce any other person, partnership, or corporation to submit or not to submit a bid or proposal;
- D) The person signing this bid or proposal certifies that he has been fully informed regarding the accuracy of the statements contained in this certification, and under penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidder as the person signing on its behalf; and
- E) That the attached hereto (if a corporate bidder) is a certified copy of a resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

Corporation: T. Mina Supply LLC
(PRINT CORPORATION NAME)

By: Roberto Cano
(SIGNATURE)
Vice President, Sales
(TITLE)

Address: 17 Expressway Drive North
Medford, NY 11763

Sworn to before me this

26th day of February, 2024
Michelle Olsen
NOTARY PUBLIC

MICHELLE OLSEN
Notary Public, State of New York
Qualified in Queens County
01OL5036957
Commission Expires 12-12-2026

BIDDER NAME: T. Mina Supply LLC

I/WE FULLY UNDERSTAND THAT THE ACCEPTANCE OF THIS BID IS SUBJECT TO
THE PROVISIONS OF SECTION 103A AND 103B OF THE GENERAL MUNICIPAL LAW.

February 26, 2024
DATE

T. Mina Supply LLC
NAME OF AGENT/DEALER

17 Expressway Drive North
ADDRESS

Medford, NY 11763
CITY, STATE, ZIP CODE

Roberto Cano - V.P. Sales
CONTACT PERSON

Roberto Cano
SIGNATURE OF DEALER/AGENT

Vice President, Sales

BIDDER NAME: T. Mina Supply LLC

BID SPECIFICATIONS FOR WATER SERVICE MATERIALS - BID #RWD-2024-36

BIDDER NAME:

| ITEM # | DESCRIPTION | |
|--------|--|--------|
| 1 | 24" bottom ID x 21" ID top x 48" long thermoplastic meter pit, notched (3"x4") in addition, pit wall thickness should be no more than .7" and no less than .3" SRMP212448FBW | 240.00 |
| 2 | 36" bottom ID x 36" ID top x 48"-long thermoplastic meter pit, notched (3" x 4") 180°. in addition, pit wall thickness should be no more than .7" and no less than .3" (provide cut sheet) | 500.00 |
| 3 | Ford A4-T ductile iron meter pit cover, (provide cut sheet) | 189.00 |
| 4 | Ford MC-36-T large meter pit cover, (provide cut sheet) | 970.00 |
| 5 | Ford FIB 48" X 48" x 3/32" thick meter pit insulating blanket | 24.00 |
| 6 | Ford ER25AW 2½" elevator ring for Wabash covers | 52.00 |
| 7 | Ford ER4AW 4" elevator ring for Wabash covers | 82.00 |
| 8 | Ford MC-24-TT large monitor cover with Ext-5 extension ring | 563.00 |
| 9 | Heavy duty frames & covers (see attached spec sheet) | 270.00 |
| 10 | Ford ¾" F1000-3-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 43.00 |
| 11 | Ford 1" F1000-4-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 65.00 |
| 12 | Ford 1½" FB1000-6-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 187.00 |
| 13 | Ford 2" FB1000-7-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 309.00 |
| 14 | Ford 2" FB1100-7-G QNL ballcorp-male iron pipe thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 309.00 |
| 15 | Ford ¾" F600-3 NL AWWA/CC taper thread inlet by flared copper outlet | 40.00 |
| 16 | Ford 1" F600-4 NL AWWA/CC taper thread inlet by flared copper outlet | 61.00 |
| 17 | Ford ¾" L02-33 NL quarter bend female copper thread by flare copper (less nuts) | 26.00 |
| 18 | Ford 1" L02-44S NL quarter bend female copper tread swivel nut by flare copper | 49.00 |
| 19 | Ford ¾" L04-33S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS) | 40.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|----|--|--------|
| 20 | Ford 1" L04-44S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS) | 54.00 |
| 21 | Ford 6" FC202-(669, 690,760)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 112.00 |
| 22 | Ford 8" FC202-(871, 905, 979)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 138.00 |
| 23 | Ford 10" FC202-(1075, 1110, 1212)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 168.00 |
| 24 | Ford 12" FC202-(1275, 1320,1438)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 181.00 |
| 25 | Ford Y501 iron yoke bar for 5/8" meter size | 16.00 |
| 26 | Ford Y503 iron yoke bar for 3/4" meter size | 18.00 |
| 27 | Ford Y504 iron yoke bar for 1" meter size | 29.00 |
| 28 | Ford EC-1 NL 5/8" standard expansion connection | 25.00 |
| 29 | Ford EC-23 NL 3/4" standard expansion connection | 28.00 |
| 30 | Ford EC-4 NL 1" standard expansion connection | 47.00 |
| 31 | Ford GT-108 5/8" rubber gasket | .35 |
| 32 | Ford GT-112 5/8" yoke gasket | .35 |
| 33 | Ford GT-120 1" gasket | .45 |
| 34 | Ford GT-123 flat washer for 1" expander | .50 |
| 35 | Ford GT-210 flat washer for 5/8" expander | .85 |
| 36 | Ford GT-211 flat washer for 1" meter | 1.25 |
| 37 | Ford GT-34 beveled washer for 1" expander | 1.45 |
| 38 | Ford GT-32 beveled washer for 5/8" expander | .95 |
| 39 | Ford B44-777 QNL ball valve curb stop 2" size x 2" x 2" pack joint for copper or plastic (CTS) | 439.00 |
| 40 | Ford AV92-313W NL angle yoke key valve 3/4" size x 3/4" flare copper x 5/8" meter | 43.00 |
| 41 | Ford AV92-323W NL angle yoke key valve 3/4" size x 3/4" flare copper x 3/4" meter | 43.00 |
| 42 | Ford AV92-444W NL angle yoke key valve 1" size x 1" flare copper x 1" meter | 66.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|----|--|--------|
| 43 | Ford AV94-313W NL angle yoke key valve $\frac{3}{4}$ " size x $\frac{3}{4}$ " pack joint (CTS) x 5/8" meter | 44.00 |
| 44 | Ford AV94-444W NL angle yoke key valve 1" size x 1" pack joint (CTS) x 1" meter | 70.00 |
| 45 | Ford HA91-444D NL angle check valve for yokes 1" size x 1" meter x 1" FIP | 63.00 |
| 46 | Ford HA92-313D NL angle check valve for yokes $\frac{3}{4}$ " size x 5/8" meter x $\frac{3}{4}$ " flare copper | 65.00 |
| 47 | Ford B22-333 QNL ball valve curb stop $\frac{3}{4}$ " size x $\frac{3}{4}$ " x $\frac{3}{4}$ " flare copper both ends | 88.00 |
| 48 | Ford B22-444 QNL ball valve curb stop 1" size x 1" x 1" flare copper both ends (no reducer port) | 122.00 |
| 49 | Ford B44-333 QNL ball valve curb stop $\frac{3}{4}$ " X $\frac{3}{4}$ " X $\frac{3}{4}$ " pack joint for CTS | 87.00 |
| 50 | Ford B44-444 QNL ball valve curb stop 1" X 1" X 1" pack joint for CTS | 130.00 |
| 51 | Ford B44-666 QNL ball valve curb stop $1\frac{1}{2}$ " size x $1\frac{1}{2}$ " x $1\frac{1}{2}$ " pack joint for copper or plastic (CTS) | 312.00 |
| 52 | Ford A14 NL meter adapter to change 5/8" meter to 1" meter spud size and length | 29.00 |
| 53 | Ford C44-33 QNL pack joint coupling $\frac{3}{4}$ " x $\frac{3}{4}$ " | 24.00 |
| 54 | Ford C44-34 QNL pack joint coupling $\frac{3}{4}$ " x 1" | 28.00 |
| 55 | Ford C44-44 QNL pack joint coupling 1" x 1" | 28.00 |
| 56 | Ford C44-66 QNL pack joint coupling $1\frac{1}{2}$ " x $1\frac{1}{2}$ " | 92.00 |
| 57 | Ford C44-77 QNL pack joint coupling 2" x 2" | 124.00 |
| 58 | Ford C45-33 QNL pack joint coupling $\frac{3}{4}$ " CTS x $\frac{3}{4}$ " IP | 27.00 |
| 59 | Ford C45-34 QNL pack joint coupling $\frac{3}{4}$ " CTS x 1" IP | 37.00 |
| 60 | Ford C45-43 QNL pack joint coupling 1" CTS x $\frac{3}{4}$ " IP | 51.00 |
| 61 | Ford C45-44 QNL pack joint coupling 1" CTS x 1" IP | 67.00 |
| 62 | Ford C45-45 QNL pack joint coupling 1" CTS x 1 1/4" IP | 75.00 |
| 63 | Ford T444-333 QNL $\frac{3}{4}$ " CTS X $\frac{3}{4}$ " CTS, service tee pack joint | 58.00 |
| 64 | Ford T444-444 QNL 1" CTS X 1" CTS, service tee pack joint | 62.00 |
| 65 | Ford T444-666 QNL 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " service tee pack joint | 310.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|----|--|---------|
| 66 | Ford T444-777 QNL 2" x 2" x 2" service tee pack joint | 336.00 |
| 67 | Mueller H-15403N 3/4" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 24.00 |
| 68 | Mueller H-15403N 1" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 28.00 |
| 69 | Mueller H-15403N 1 1/2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 92.00 |
| 70 | Mueller H-15403N 2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 124.00 |
| 71 | Mueller H-15451N 1 1/2" conductive compression CTS x FIP | 82.00 |
| 72 | Mueller H-15451N 2" conductive compression CTS x FIP | 97.00 |
| 73 | Mueller N-35428N 1" MIP inlet x Mueller 110 compression connection CTS 1" outlet | 70.00 |
| 74 | Mueller N-35071N 3/4" insulated straight service connection 3/4" female copper flare x 3/4" CTS outlet | 54.00 |
| 75 | Mueller P-15381N 1 1/2" X 1 1/2" X 1" service tee pack joint connection for CTS O.D. | 138.00 |
| 76 | Mueller P-15381N 2" X 2" X 1" service tee pack joint connection for CTS O.D. | 166.00 |
| 77 | Mueller P-15343N 1" X 1 1/2" two branch-body pack joint for CTS O.D. tubing, or equal | 120.00 |
| 78 | Mueller H-15343N 1" X 2" two branch-body 110 conductive compression connection for CTS O.D. tubing, or equal | 138.00 |
| 79 | 3/4" threaded rod coupling nut. | 2.55 |
| 80 | 1" x 100' type "K" copper.(roll) | 1087.00 |
| 81 | 3/4" x 100' type "K" copper.(roll) | 819.00 |
| 82 | 3/4" x 400' PVC tubing, water grade rated at 160-200 psi. (roll) | 198.00 |
| 83 | 1" x 300' PVC tubing, water grade rated at 160-200 psi.(roll) | 225.00 |
| 84 | 1 1/2" x 300' PVC tubing, water grade rated at 160-200 psi.(roll) | 485.00 |
| 85 | Mueller H-15346N 1" X 2" three branch fitting, or equal | 138.00 |
| 86 | Ford 6" FS1-(635, 696, 724, 745, 785) x 12.5 stainless steel repair clamp. | 161.00 |
| 87 | Ford 8" FS1-(835, 894, 939, 967) x 12.5 stainless steel repair clamp. | 189.00 |
| 88 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 12.5 stainless steel repair clamp. | 255.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|-----|---|--------|
| 89 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 12.5 stainless steel repair clamp. | 295.00 |
| 90 | Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp | 178.00 |
| 91 | Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp | 216.00 |
| 92 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp | 293.00 |
| 93 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp | 333.00 |
| 94 | Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp CC3/CC4 | 224.00 |
| 95 | Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp CC3/CC4 | 263.00 |
| 96 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp CC3/CC4 | 340.00 |
| 97 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp CC3/CC4 | 380.00 |
| 98 | Ford 6" FC-1 ductile iron coupling with gasket and end rings. | 169.00 |
| 99 | Ford 8" FC-1 ductile iron coupling with gasket and end rings. | 214.00 |
| 100 | Ford 10" FC-1 ductile iron coupling with gasket and end rings. | 294.00 |
| 101 | Ford 12" FC-1 ductile iron coupling with gasket and end rings. | 351.00 |
| 102 | Ford BBAA-43-NL 1" male AWWA Taper Thread x 3/4" female AWWA Taper Thread | 18.00 |
| 103 | 6" HYMAX 2000-0768-260 coupling (6.42-7.68 range) | 369.00 |
| 104 | 8" HYMAX 2000-0984-260 coupling (8.54-9.84 RANGE) | 416.00 |
| 105 | 10" HYMAX 2000-1200-260 coupling (10.70-12.00 RANGE) | 536.00 |
| 106 | 12" HYMAX 2000-1441-260 coupling (13.15-14.41 RANGE) | 757.00 |
| 107 | Ford 4" UFR-1300-(S, C)-4 uni-flange Block Buster Series 1300 pipe restraint | 44.00 |
| 108 | Ford 6" UFR-1300-(S, C)-6 uni-flange Block Buster Series 1300 pipe restraint | 52.00 |
| 109 | Ford 8" UFR-1300-(S, C)-8 uni-flange Block Buster Series 1300 pipe restraint | 94.00 |
| 110 | Ford 10" UFR-1300-(S, C)-10 uni-flange Block Buster Series 1300 pipe restraint | 145.00 |
| 111 | Ford 12" UFR-1300-(S, C)-12 uni-flange Block Buster Series 1300 pipe restraint | 154.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|-----|--|--------|
| 112 | HYMAX FLIP 2 Extended Range Transition Coupling 2" | 165.00 |
| 113 | HYMAX FLIP 2 Extended Range Transition Coupling 3" | 218.00 |
| 114 | HYMAX FLIP 2 Extended Range Transition Coupling 4" | 278.00 |
| 115 | HYMAX FLIP2 Extended Range Transition Coupling 6" | 369.00 |
| 116 | HYMAX FLIP2 Extended Range Transition Coupling 8" | 416.00 |
| 117 | HYMAX FLIP2 Extended Range Transition Coupling 10" Undersize | 536.00 |
| 118 | HYMAX FLIP2 Extended Range Transition Coupling 10" Oversize | 683.00 |
| 119 | HYMAX FLIP2 Extended Range Transition Coupling 12" Undersize | 632.00 |
| 120 | HYMAX FLIP2 Extended Range Transition Coupling 12" Oversize | 757.00 |
| 121 | Ford 6" UFR-1400-DA-6-U Series 1400 wedge action retainer gland | 59.00 |
| 122 | Ford 8" UFR-1400-DA-8-U Series 1400 wedge action retainer gland | 80.00 |
| 123 | Ford 10" UFR-1400-DA-10-U Series 1400 wedge action retainer gland | 114.00 |
| 124 | Ford 12" UFR-1400-DA-12-U Series 1400 wedge action retainer gland | 154.00 |
| 125 | Ford 6" UFR-1400-DA-6-XL-U Series 1400 wedge action retainer gland | 85.00 |
| 126 | Ford 8" UFR-1400-DA-8-XL-U Series 1400 wedge action retainer gland | 111.00 |
| 127 | Ford 10" UFR-1400-DA-10-XL-U Series 1400 wedge action retainer gland | 141.00 |
| 128 | Ford 12" UFR-1400-DA-12-XL-U Series 1400 wedge action retainer gland | 180.00 |
| 129 | Ford 4" UFA-200-(S, C)-4 uni-flange adapter flange Series 200 | 56.00 |
| 130 | Ford 6" UFA-200-(S, C)-6 uni-flange adapter flange Series 200 | 60.00 |
| 131 | Ford 8" UFA-200-(S, C)-8 uni-flange adapter flange Series 200 | 84.00 |
| 132 | Ford 10" UFA-200-(S, C)-10 uni-flange adapter flange Series 200 | 151.00 |
| 133 | Ford 12" UFA-200-(S, C)-12 uni-flange adapter flange Series 200 | 170.00 |
| 134 | Smith Blair 4" 274 bell joint repair clamp | 174.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|-----|---|----------|
| 135 | Smith Blair 6" 274 bell joint repair clamp | 192.00 |
| 136 | Smith Blair 8" 274 bell joint repair clamp | 266.00 |
| 137 | Smith Blair 10" 274 bell joint repair clamp | 333.00 |
| 138 | Smith Blair 12" 274 bell joint repair clamp | 361.00 |
| 139 | ROMAC 4" grap-(DI & IP) gripping pipe restrainer. | NO BID |
| 140 | ROMAC 6" grap-(DI & IP) gripping pipe restrainer. | NO BID |
| 141 | ROMAC 8" grap-(DI & IP) gripping pipe restrainer. | NO BID |
| 142 | ROMAC 10" grap-(DI & IP) gripping pipe restrainer. | NO BID |
| 143 | ROMAC 12" grap-(DI & IP) gripping pipe restrainer. | NO BID |
| 144 | 6" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 453.00 |
| 145 | 8" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 576.00 |
| 146 | 10" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 764.00 |
| 147 | 12" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 1,560.00 |
| 148 | 6" x 6" x 6" hydrant tee, less accessories - domestic casting | 298.00 |
| 149 | 8" x 8" x 6" hydrant tee, less accessories - domestic casting | 450.00 |
| 150 | 10" x 10" x 6" hydrant tee, less accessories - domestic casting | 580.00 |
| 151 | 12" x 12" x 6" hydrant tee, less accessories - domestic casting | 675.00 |
| 152 | 6" mechanical joint with 90° bend, less accessories | 180.00 |
| 153 | 6" mechanical joint with 45° bend, less accessories | 148.00 |
| 154 | 6" mechanical joint with 22° bend | 135.00 |
| 155 | 6" push-on DI pipe cl52, specify length 20' 6" push-on DI pipe cl52, specify length 18" 6" push-on DI pipe cl52, specify length 20" | 612.00 |
| 156 | 8" push-on DI pipe cl52, specify length 20' 8" push-on DI pipe cl52, specify length 18" 8" push-on DI pipe cl52, specify length 20" | 864.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|-----|--|----------|
| 157 | 10" push-on DI pipe cl52, specify length 20' 10" push-on DI pipe cl52, specify length 18' 10" push-on DI pipe cl52, specify length 20' | 1,134.00 |
| 158 | 12" push-on DI pipe cl52, specify length 20' 12" push-on DI pipe cl52, specify length 18' 12" push-on DI pipe cl52, specify length 20' | 1,440.00 |
| 159 | Mueller 6" A-2361 MJ resilient wedge gate valve. | 1,060.00 |
| 160 | Mueller 8" A-2361 MJ resilient wedge gate valve. | 1,690.00 |
| 161 | Mueller 10" A-2361 MJ resilient wedge gate valve. | 2,640.00 |
| 162 | Mueller 12" A-2361 MJ resilient wedge gate valve. | 3,340.00 |
| 163 | Mueller 6" HC-2361-44-D-150 MJ cut-in valve. | 1,690.00 |
| 164 | Mueller 8" HC-2361-44-D-150 MJ cut-in valve. | 3,650.00 |
| 165 | Mueller 10" HC-2361-44-D-150 MJ cut-in valve. | 3,730.00 |
| 166 | Mueller 12" HC-2361-44-D-150 MJ cut-in valve. | 4,680.00 |
| 167 | Mueller Super Centurion 250 4 1/2" MVO fire hydrant with acuagrip foot & 5' bury. | NO BID |
| 168 | Mueller Super Centurion 6" hydrant extension kit. | NO BID |
| 169 | Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury square nuts | NO BID |
| 170 | Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury 5 sided nuts | NO BID |
| 171 | Mueller Super Centurion 1' hydrant extension kit. | NO BID |
| 172 | Mueller hydrant repair stems, 4 1/2" MVO (all models) | NO BID |
| 173 | Clow Medalion 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | 3,790.00 |
| 174 | Clow Medalion 6" hydrant extension kit. | 709.00 |
| 175 | Clow Medalion 1' hydrant extension kit. | 835.00 |
| 176 | Clow Medalion fire hydrant breakaway repair kit. | 400.00 |
| 177 | Kennedy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | NO BID |
| 178 | KENNEDY 4 1/2" MVO hydrant repair kit | 405.00 |

BIDDER NAME: T. Mina Supply LLC

| | | |
|-----|---|----------|
| 179 | KENNEDY 6" hydrant extension kit. | 440.00 |
| 180 | KENNEDY 1' hydrant extension kit. | 800.00 |
| 181 | Eddy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | 3,960.00 |
| 182 | Clow Eddy F-2640 4 1/2" fire hydrant breakaway repair kit. | 410.00 |
| 183 | Mueller Super Centurion 250 fire hydrant breakaway repair kit. | NO BID |
| 184 | Mueller Super Centurion 350 fire hydrant breakaway repair kit | NO BID |
| 185 | Fire hydrant breakaway repair kit with brass safety stem coupling. | NO BID |
| 186 | 6" pipe clamp and washers. | 48.00 |
| 187 | 8" pipe clamp and washers. | 52.00 |
| 188 | 10" pipe clamp and washers. | 57.00 |
| 189 | 12" pipe clamp and washers. | 65.00 |
| 190 | Bucket of nuts and eye bolts for hydrant rod (specify quantity in bucket <u>50</u>). | 275.00 |
| 191 | Bucket of ductile iron duc-lugs (specify quantity in bucket <u>50</u>). | 317.50 |
| 192 | 3/4" tie bolts. | 4.70 |
| 193 | 3/4" x 6' threaded hydrant rod. | 19.35 |
| 194 | 2" x 300' PVC tubing, water grade rated at 160-200 psi. | 750.00 |
| 195 | 25 lbs. lead wool (indicate if price is per pound or per 25 pounds; i.e., \$10.00/lb or \$10/25 lbs). | NO BID |
| 196 | 4" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 197 | 6" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 198 | 8" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 199 | 10" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 200 | 12" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 201 | 4" full-face flange gasket and bolt kit-1/8" thickness. | 15.00 |

BIDDER NAME: T.Mina Supply LLC

| | | |
|-----|---|--------|
| 202 | 6" full-face flange gasket and bolt kit-1/8" thickness. | 23.00 |
| 203 | 8" full-face flange gasket and bolt kit-1/8" thickness. | 27.00 |
| 204 | 10" full-face flange gasket and bolt kit-1/8" thickness. | 57.00 |
| 205 | 12" full-face flange gasket and bolt kit-1/8" thickness. | 64.00 |
| 206 | Reflective fiberglass hydrant flag, plate-mount flat, 64" X .375", reflective red & white color | 34.50 |
| 207 | Reflective mini flat, 4" X 5" for .375 shaft, reflective red & white color | 12.00 |
| 208 | ¾" CC drill & tap for "Mueller B101" tapping machine | 275.00 |
| 209 | 1" CC drill & tap for "Mueller B101" tapping machine | 350.00 |
| 210 | 1 ¾" carbide-tip hole saw cutter | NO BID |
| 211 | ¼" carbide-tip pilot cutter | NO BID |
| 212 | Silver reflective paint (price per quart) | NO BID |
| 213 | Safety orange hydrant paint (Rust-Oleum enamel brush-on/roll-on only - price per gallon). | NO BID |
| 214 | Mark out paint (AWWA blue) 20 oz. cans, or equal | NO BID |
| 215 | MA013922 food-grade anti-seize, 1 lb., or equal | NO BID |
| 216 | SIGMA 1" cast iron valve box riser | 24.00 |
| 217 | SIGMA 1.5" cast iron valve box riser | 31.00 |
| 218 | SIGMA 2" cast iron valve box riser | 31.00 |
| 219 | SIGMA 3" cast iron valve box riser | 40.00 |
| 220 | SIGMA 4" cast iron valve box riser | 45.00 |
| 221 | SIGMA 6" cast iron valve box riser | 62.00 |
| 222 | SIGMA valve box complete with covers & 16" top section (all cast iron) | 140.00 |
| 223 | 16" ductile iron valve box top flange top section with cover | NO BID |
| 224 | Domestic valve box cover | 33.00 |

BIDDER NAME: T.Mina Supply LLC

| | | |
|-----|--|--------|
| 225 | SIGMA valve box bottom section (cast iron) | 73.00 |
| 226 | SIGMA 16" cast iron line valve box top section | 44.00 |
| 227 | SIGMA 26" cast iron line valve box top section | 91.00 |
| 228 | Buffalo-type 2 1/2" cast iron valve box | 76.00 |
| 229 | Mueller H-10373 2 1/2" repair lids for new style Buffalo-type curb box | 20.00 |
| 230 | Mueller H-10374 2 1/2" repair lids for old style Buffalo-type curb box | 20.00 |
| 231 | Mueller H-10374 3" repair lids for old style Buffalo-type curb box | NO BID |
| 232 | Mueller H-10310 curb box complete for 1 1/2" x 2" service | NO BID |
| 233 | CH15535 3/4" copper disk | 4.50 |
| 234 | DH15535 1" copper disk | 4.50 |
| 235 | Diamond blade for cured concrete, 14" x .125 x 1" | 185.00 |
| 236 | Diamond blade for green concrete/asphalt, 14" x .125 X 1" | 166.00 |
| 237 | Diamond blade for D.I., 14" x .125 x 1" | 218.00 |
| 238 | Husqvarna K760 gas powered saw Core & Main K770-14" | NO BID |
| 239 | CST magnetic locator, Model 100, or equal | NO BID |
| 240 | Ford 3/4" C44-33-4-75-Q-NL extended length coupling with quick joint | 42.00 |
| 241 | Ford 1" C44-44-4-75-Q-NL extended length coupling with quick joint | 48.00 |
| 242 | Ford 3/4" FSC-088-642 pipe OD .875 stainless steel dual-armor clamp | 38.00 |
| 243 | Ford 3/4" FSC-105-6R2 pipe OD 1.05 stainless steel dual-armor clamp | 38.00 |
| 244 | Ford 1" FSC-113-6R2 pipe OD 1.125 stainless steel dual-armor clamp | 38.00 |
| 245 | Ford 1" FSC-132-6R2 pipe OD 1.32 stainless steel dual-armor clamp | 38.00 |
| 246 | Ford 1 1/4" FSC-138-6R2 pipe OD 1.375 stainless steel dual-armor clamp | 39.00 |
| 247 | Ford 1 1/4" FSC-166-6R2 pipe OD 1.66 stainless steel dual-armor clamp | 39.00 |

BIDDER NAME: T.Mina Supply LLC

| | | |
|-----|---|----------|
| 248 | Ford 1 1/2" FSC-163-6R2 pipe OD 1.625 stainless steel dual-armor clamp | 39.00 |
| 249 | Ford 1 1/2" FSC-190-6R2 pipe OD 1.90 stainless steel dual-armor clamp | 39.00 |
| 250 | Ford 2" FSC-213-6R2 pipe OD 2.125 stainless steel dual-armor clamp | 50.00 |
| 251 | Ford 2" FSC-238-6R2 pipe OD 2.38 stainless steel dual-armor clamp | 50.00 |
| 252 | Ford 1 1/2" VBHH76-24-44-66 NL irrigation copper setter, no by-pass | 1,485.00 |
| 253 | Ford 2" VBHH77-24-44-77 NL irrigation copper setter, no by-pass | 1,685.00 |
| 254 | Ford 1 1/2" VBHH76-24HB-44-66 NL domestic copper setter, high by-pass | 2,045.00 |
| 255 | 1 1/2" VBHH76-24HBSLC-44-66-NL w/locking high bypass | 2,235.00 |
| 256 | 2" VBHH77-24HBSLC-44-77-NL w/locking high bypass | 2,475.00 |
| 257 | Ford 2" VBHH77-24HB-44-77 NL domestic copper setter, high by-pass | 2,275.00 |
| 258 | Ford PTP-BR plastic AMR plug | 11.00 |
| 259 | Ford PTP-BR-3-25 plastic AMR plug | 16.00 |
| 260 | B & T curb box top 20" P2TL20W | 41.00 |
| 261 | W3BPO plastic inner lid | 8.00 |
| 262 | W3PD plastic inner lid | 8.00 |
| 263 | Ford WA3L-T meter pit covers (lid only) | 45.00 |
| 264 | Ford Meter Box Cover (A4PR-BR style) | 192.00 |
| 265 | Ford Plastic Lid for Iron Frame (WA3LPR-BR style) | 47.00 |
| 266 | Bingham & Taylor BTA 32 cast iron lid w/recess thru-hole for Sensus transmitter (IFL180BTA32TR) | 47.00 |
| 267 | Bingham & Taylor 12.25" A Style plastic lid w/recessed thru-hole for Sensus (NCUL12.25PWATTHS) | 54.00 |
| 268 | Bingham & Taylor #180-21-AW-EH-TR Meter Frame (CULF18021AWEH) | 128.00 |
| 269 | Clow 6" F-6111 MJ cut-in valve | 1,690.00 |
| 270 | Clow 8" F-6111 MJ cut-in valve | 3,650.00 |


BIDDER NAME: T. Mina Supply LLC

| | | |
|-----|--|----------|
| 271 | Clow 10" F-6111 MJ cut-in valve | 3,730.00 |
| 272 | Clow 12" F-6111 MJ cut-in valve | 4,680.00 |
| 273 | MJ Plug for 6'/8"/10"/12" | 751.00 |
| 274 | MJ Cap for 6"/8"/10"/12" | 587.00 |
| 275 | Ford Swivel eighth bend LA04-44S-G | 51.00 |
| 276 | Ford adjustable meter flange (CF31-77EXP-NL) 2" meter flange x 2" female iron pipe | 146.00 |
| 277 | Ford adjustable meter flange (CF38-77EXP-NL) 2" meter flange x 2" male iron pipe | 146.00 |

BIDDER NAME: T.Mina Supply LLC

SEXUAL HARASSMENT PREVENTION STATEMENT

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that the bidder has and has implemented a written policy addressing sexual harassment prevention in the workplace and provides annual sexual harassment prevention training to all of its employees. Such policy shall, at a minimum, meet the requirements of §201-G of the Labor Law.

Signature: 

Print Name: Roberto Cano

Title: Vice President, Sales

Company Name: T. Mina Supply LLC

Date: 2-26-24

BIDDER NAME: T. Mina Supply LLC

Please complete and affix to your sealed bid envelope.



BIDS MUST BE DELIVERED TO THE TOWN CLERK'S OFFICE

BIDDER: T. Mina Supply LLC

ADDRESS: 17 Expressway Drive North
Medford, NY 11763

BID NAME: WATER SERVICE MATERIALS
BID #2024-36-RWD

BID OPENING DATE: February 29, 2024
TIME: 11:00 am

BIDS MUST BE DELIVERED TO:


**TOWN OF RIVERHEAD
TOWN CLERKS OFFICE
4 West 2nd Street
RIVERHEAD, NY 11901**

PRIOR TO 11:00 AM ON February 29, 2024

LATE BIDS WILL NOT BE ACCEPTED FOR ANY REASON

BIDDER NAME: T. Mina Supply LLC


ITEM 9 SPECIFICATIONS



PLEASE
SPECIFY.....

- SEWER
- STORM
- SANITARY SEWER
- DRAIN
- ELECTRIC
- PLAIN
- COMMUNICATION
- TELEPHONE
- OTHER **WATER**
OR BLANK

L




| MODEL | C | H | D | OD | T |
|--------|----|---|----|----------|----------------|
| 4001-A | 24 | 3 | 22 | 34 OR 36 | 1 3/8 OR 1 1/4 |
| 4001-B | 24 | 4 | 22 | 34 OR 36 | 1 3/8 OR 1 1/4 |
| 4001-C | 24 | 6 | 22 | 34 OR 36 | 1 3/8 OR 1 1/4 |
| 4001-D | 24 | 7 | 22 | 34 OR 36 | 1 3/8 OR 1 1/4 |
| 4001-E | 24 | 8 | 22 | 34 OR 36 | 1 3/8 OR 1 1/4 |
| 4001-F | 34 | 9 | 22 | 34 OR 36 | 1 3/8 OR 1 1/4 |

MATERIALS CONFORMS TO ASTM A48 CLASS 30B OR 35B SPECIFICATIONS
LOAD RATING: FOR A.A.S.H.T.O. & H.R. 20-44 HIGHWAY LOADING


HEAVY DUTY FRAMES & COVERS

SUBMITTAL INFORMATION


Meter Box Covers - (A4 style)



11-1/2" INSET LID FOR 21" TILE



Optional -
2" hole for
Electronic Meter
Reading Module



| *LID SIZE | TILE I.D. | APPROX. WT. LBS. | DESCRIPTION | CATALOG NUMBER | ✓ SUBMITTED ITEM(S) |
|-----------|-----------|------------------|--------------------------------------|----------------|---------------------|
| 11-1/2" | 21" | 40.0 | Cover with Locking Inset Lid | A4 | |
| | | | Cover with Lockless Inset Lid | A4-LL | |
| | | | Single hole for Meter Reading Module | A4-T | |
| | | | Two holes for Meter Reading Modules | A4-TT | |

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

FEATURES

- Available with precast holes for electronic meter reading modules
Add to catalog number: "-T" for single hole, "-TT" for double hole
- Standard pentagon bolt furnished with locking lids
Larger size is available. Add "-LB" to catalog number. For non-locking lid, add "-LL"
- Frame and lid are cast iron per ASTM A48-92, Class 25
- Finish is black e-coating

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.




The Ford Meter Box Company, Inc.
P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443
Phone: 260-563-3171 / Fax: 800-826-3487
Overseas Fax: 260-563-0167
www.fordmeterbox.com


Submitted By:

SUBMITTAL INFORMATION

Monitor Cover - (MC-xx-T style)



MONITOR COVER WITH LOCKING ELECTRONIC METER READING LID



| LID SIZE* | COVER DEPTH | TILE SIZE I.D. | APPROX. WT. LBS. | PART NUMBER | ✓ SUBMITTED ITEMS |
|-----------|----------------|-------------------|---------------------|----------------|----------------------|
| 20" | 7-1/2" | 24" | 103.0 | MC-24-T | |
| 20" | 7-1/2" | 30" | 131.0 | MC-30-T | |
| 20" | 8" | 36" | 185.0 | MC-36-T | |
| 20" | 7-1/2" | 24" | 127.0 | MC-24H-T | |
| 20" | 7-1/2" | 30" | 155.0 | MC-30H-T | |
| 20" | 8" | 36" | 209.0 | MC-36H-T | |
| 20" | 7-1/2" | 24" | 136.0 | MC-24HH-T | |
| 20" | 7-1/2" | 30" | 164.0 | MC-30HH-T | |
| 20" | 8" | 36" | 218.0 | MC-36HH-T | |

*Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

FEATURES

- Manufactured of cast iron per ASTM A48-92 Class 25
- Hat-shape design to minimize surface exposure and provide additional ground insulation.
- Inset lid design rests flush with the top of the riser ring.
- Standard pentagon bolt furnished with locking lids.
Larger size bolt is available. Add "-LB" to catalog number. For non-locking lid, add "-LL".
- For extra heavy lid, order catalog number with "H" and for double extra heavy lid, order catalog number with "HH".
- Lid has 2" precast hole for electronic meter reading modules.
For two E-read holes, add "-TT" to the catalog number.



The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current.




The Ford Meter Box Company, Inc.
P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443
Phone: 260-563-3171 / Fax: 800-826-3487
Overseas Fax: 260-563-0167
www.fordmeterbox.com

02/27/17

Submitted By:




SIGMA
 RMP 202448-FB-W



ALL DIMENSIONS ARE IN INCHES
DIMENSIONAL TOLERANCE +/- 1/8"

SIGMA
RMP 3648-W





TOWN OF RIVERHEAD

Tim Hubbard, Supervisor

4 West 2nd Street
Riverhead, NY 11901
631-727-3200

BID # 2024-36-RWD

BID FOR: WATER SERVICE MATERIALS

FERGUSON WATERWORKS

BIDDERS NAME

2619 MEDFORD AVE

BIDDERS ADDRESS

MEDFORD, NY 11763

CITY, STATE, ZIP

(646) 331-6780

PHONE NUMBER

()
FAX NUMBER

RICK.GAMBINO@FERGUSON.COM

E-MAIL ADDRESS

In compliance with your advertisement for bids to be opened on **February 29, 2024**, subject to all conditions thereof, the undersigned hereby proposes to furnish the item(s) and/or service(s) itemized in this proposal in accordance with the Notice to Bidders, General Information Agreement and Specifications contained herein on the Bid Proposal Form attached.

Bidder certifies that the prices quoted herein do not include Federal Excise Tax or any Federal, New York State or City Sales Tax and are not higher than prices charged to any governmental or commercial consumer for like merchandise and/or service; and all prices include shipping and freight charges to any Municipal building or site within the Town of Riverhead.

Respectfully submitted,

M. J. Mcd

SIGNED BY

Amey Sales Manager

TITLE

BIDDERS ARE INVITED TO ATTEND BID OPENING

**TOWN OF RIVERHEAD
NOTICE TO BIDDERS**

Sealed bids for **WATER SERVICE MATERIALS** will be received by the Town Clerk of the Town of Riverhead at Town Hall, 4 West 2nd Street, Riverhead, New York, 11901, until **11:00 a.m. on February 29th, 2024**, at which time all bids will be opened and read aloud.

Bid Specifications and/or Plans may be obtained by visiting the Town of Riverhead website at www.townofriverheadny.gov/bids.aspx on or after February 15, 2024. Click on the title of the bid and follow the instructions to register.

The Town Board reserves the right and responsibility to reject any or all bids or to waive any formality if it believes such action to be in the best interest of the Town.

BY ORDER OF THE TOWN BOARD
OF THE TOWN OF RIVERHEAD

James M. Wooten, Town Clerk

GENERAL SPECIFICATIONS

GENERAL

Bidders shall be responsible to carefully examine the Specifications enclosed.

Bidders shall furnish their price and/or lump sum bid as called for on the Bid Proposal Sheet(s) attached. Bids must specify Manufacturer lead times if longer than 30 days.

Alternates of equal or superior design and/or quality shall be listed separately and a Manufacturer's Specification Sheet shall be submitted with a bid. Failure to submit such data may result in the disallowing of said bid.

The equipment and all associated components shall be furnished complete and ready for use. The equipment furnished shall be the Manufacturer's latest listed and published model, or models, which meet all the applicable requirements of these Specifications. These Specifications require the doing of all things necessary or proper for, or incidental to, the furnishing and delivery of said equipment and associated components.

All things not expressly mentioned in these specifications, but involved in carrying out their intent are required by these Specifications; and the vendor shall perform the same as though they were specifically mentioned, described and delineated.

DISCOUNTS

If Bidder allows cash discount, it shall be as follows:

For payment within 15 days of delivery and/or receipt of voucher.

For payment within 30 days of delivery and/or receipt of voucher.

Discount less than 1% will not be considered.

Cash discounts will not be considered in determining low bidders, but will be taken into consideration in awarding tie bids.

COMPLIANCE WITH RULES AND REGULATIONS

The unit and associated equipment furnished shall comply with all provisions which would be applicable, if the Town of Riverhead were a private corporation of Federal and State of New York Laws, Ordinances, Codes, Rules, Regulations, Orders, Permits and Licenses and with fire underwriters requirement, except that where the weight and dimensions requirements set forth herein exceed such provisions, these Specifications shall control.

NO-LEAD COMPLIANCE

In January, 2011, **Senate Bill 3874** was signed into law and created the **Reduction of Lead in Drinking Act**, which amended the Safe Drinking Water Act to reduce the allowable lead content in all products in contact with drinking water from 8.0% to 0.25% (weighted average). Therefore, any brass products must meet the no-lead compliance pursuant to the above.

DEVIATION

Minor deviations from the provisions of these Specifications will be considered to permit manufacturers to follow their standard manufacturing process.

Such deviations will be approved, however, only in the sole discretion of the Town of Riverhead and only if in its opinion they do not adversely affect the operation, maintenance, strength, efficiency, effectiveness, or life of the unit or any of its parts.

All proposed minor deviations, with full details, must be listed on a separate Detail Sheet, which must be attached to and made part of this bid.

The Town of Riverhead reserves the absolute right and responsibility in its sole discretion to accept or reject any or all bids, or parts thereof, and waive any formality if it believes such action to be in the best interest of the Town.

GUARANTEE

The vendor warrants and guarantees the equipment herein specified, including all associated equipment furnished, against any defects in design, workmanship and materials, and against failure to operate satisfactorily for a period of six months from the date of acceptance of the units, except defects or failure shown by the vendor. The vendor also warrants and guarantees that the equipment herein specified, if found to be defective or in need of repairs, will be picked up from and delivered back to the Town of Riverhead within a reasonable length of time.

PRICES

If a like or lower quantity of a standard item contained in this bid is sold by a vendor at a price less than the prices quoted herein, the price to the Town of Riverhead shall be reduced to that lower price.

QUANTITY

The Town of Riverhead is in no way obligated to purchase quantities neither shown nor limited to said quantities listed.

CONTRACT PERIOD

The contract period shall commence the date a resolution is adopted by the Town Board and shall run for a period of **ONE (1)** year from that date. The contract may be extended in 1 year increments (not to exceed two extensions) for a total three- (3) year contract upon the same terms and conditions at the sole discretion of the Town of Riverhead and with the consent of the vendor(s).

RESERVATIONS

The mention in the specifications of any unit, component, or equipment by brand name and/or model is meant to convey to the potential bidder the type and quality of the product required and desired by the Town. Any unit, component, or equipment which is of equal type and quality may be considered as such and may be acceptable to the Town, upon agreement by the Town Board to that fact. The decision of the Town Board, however, in such a circumstance is final.

Furthermore, the Town Board of the Town of Riverhead reserves the right and responsibility to reject any or all bids if they believe such action to be in the best interest of the Town.

BIDDER NAME: Ferguson

QUESTIONS

Any questions or clarification to the bid specifications must be submitted in writing to the Purchasing Agent at 4 West 2nd Street, Riverhead, NY 11901 or by email to: baldinucci@townofriverheadny.gov prior to the bid opening. Such questions must be in the possession of the Purchasing Agent at least 72 hours prior to the bid opening. **Verbal questions will not be entertained.**

FUEL SURCHARGES

The Town of Riverhead will not pay any type of fuel surcharge. Any fuel charges added to invoices and/or vouchers will be deleted from any payments to be made to the vendor.

DELIVERY

All pricing is to include delivery; the Town of Riverhead will not pay anything additional for delivery charges.

Delivery is to be made within **30 DAYS** after receipt of an order via purchase order. Lead time must be listed at the time of order on the order acknowledgement. Failure to do so will result in order cancellation and order being processed by the next bidder.

Notification of delivery must be made **24 hours** prior to accommodate receipt of goods or delivery may be refused.

All equipment delivered shall be delivered "on the ground" at the delivery point designated on the purchase order. All deliveries are F.O.B. destination.

IRAN DIVESTMENT ACT CERTIFICATION

As a result of the Iran Divestment Act of 2012 (Act), Chapter 1 of the 2012 Laws of New York, a new provision has been added to the State Finance Law (SFL), § 165-a, effective April 12, 2012. Under the Act, the Commissioner of the Office of General Services (OGS) will be developing a list (prohibited entities list) of "persons" who are engaged in "investment activities in Iran" (both are defined terms in the law). Pursuant to SFL § 165-a(3)(b), the initial list is expected to be issued no later than 120 days after the Act's effective date, at which time it will be posted on the OGS website.


By submitting a bid in response to this solicitation or by assuming the responsibility of a Contract awarded hereunder, Bidder/Contractor (or any assignee) certifies that once the prohibited entities list is posted on the OGS website, it will not utilize on such Contract any subcontractor that is identified on the prohibited entities list.

Additionally, Bidder/Contractor is advised that once the list is posted on the OGS website, any Contractor seeking to renew or extend a Contract or assume the responsibility of a Contract awarded in response to the solicitation, must certify at the time the Contract is renewed, extended or assigned that it is not included on the prohibited entities list.

During the term of the Contract, should the TOWN OF RIVERHEAD receive information that a person is in violation of the above-referenced certification, the TOWN OF RIVERHEAD will offer the person an opportunity to respond. If the person fails to demonstrate that it has ceased its engagement in the investment which is in violation of the Act within 90 days after the determination of such violation, then the TOWN OF RIVERHEAD shall take such action as may be appropriate including, but not limited to, imposing sanctions, seeking compliance, recovering damages, or declaring the Contractor in default.

The TOWN OF RIVERHEAD reserves the right to reject any bid or request for assignment for an entity that appears on the prohibited entities list prior to the award of a contract, and to pursue a responsibility review with respect to any entity that is awarded a contract and appears on the prohibited entities list after contract award.

Signature:



Print Name:

ANDREW McLACHLIN

Title:

Sales Mgr

Company Name:

FERGUSON

Date:

2/29/24

BIDDER NAME: FERGUSON

ATTENTION

BIDDERS

IF YOU ARE NOT INTERESTED IN BIDDING THIS PARTICULAR PROJECT, PLEASE COMPLETE THE ATTACHED SHEET AND RETURN IT TO US.

WE ARE VERY INTERESTED IN LEARNING WHY YOU DO NOT BID. IF YOU SELL OTHER PRODUCTS AND WANT TO BE ON OUR BIDDER'S LIST, PLEASE LET US KNOW. PROVIDE A CONTACT NAME AND OTHER PERTINENT INFORMATION IF YOU WISH TO BE CONTACTED AT A LATER DATE FOR ANOTHER PRODUCT.

**BID # 2024-36-RWD
WATER SERVICE MATERIALS**

NON-BIDDER'S RESPONSE

VENDOR NAME: _____

For purposes of facilitating your firm's response to our invitation to bid, the Town of Riverhead is interested in ascertaining reasons for prospective bidders' failure to respond to invitations to bid. If your firm is not responding to this bid, please indicate the reason(s) by checking the appropriate item(s) below and returning this form to the Town of Riverhead Purchasing department at 4 West 2nd Street, Riverhead, N.Y. 11901.

We are not responding to this invitation to bid for the following reason(s):

Items or materials requested not manufactured by us or not available to our company.
 Our items and/or materials do not meet specifications.
 Specifications not clearly understood or applicable (too vague, too rigid, etc.)
 Quantities too small.
 Insufficient time allowed for preparation of bid.
 Incorrect address used.

Correct address is:

Other reason(s):


NON-COLLUSIVE CERTIFICATE
(MUST BE COMPLETED, SIGNED, NOTARIZED AND RETURNED WITH BID)

UNDER PENALTIES OF PERJURY:

Andrew J. McLaughlin (BIDDER), BEING DULY SWORN,
DEPOSES AND SAYS:

- A) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- B) This bid or proposal has not knowingly been disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor, or potential competitor;
- C) No attempt has been made or will be made to induce any other person, partnership, or corporation to submit or not to submit a bid or proposal;
- D) The person signing this bid or proposal certifies that he has been fully informed regarding the accuracy of the statements contained in this certification, and under penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidder as the person signing on its behalf; and
- E) That the attached hereto (if a corporate bidder) is a certified copy of a resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

Corporation: Ferguson Waterworks
(PRINT CORPORATION NAME)

By: 
(SIGNATURE)


Area Sales Manager
(TITLE)

Address: 2619 MEDFORD AVE
MEDFORD, NY

Sworn to before me this

21st day of February, 2024

Jason P. Martin
Notary Public, State of New York
Qualified in Madison County
Reg. No. 01MA6384047
My Commission Expires Dec. 3, 2026


NOTARY PUBLIC

I/WE FULLY UNDERSTAND THAT THE ACCEPTANCE OF THIS BID IS SUBJECT TO
THE PROVISIONS OF SECTION 103A AND 103B OF THE GENERAL MUNICIPAL LAW.

2/21/24
DATE

Ferguson
NAME OF AGENT/DEALER

2619 MEDFORD AVE
ADDRESS

MEDFORD, NY 11763
CITY, STATE, ZIP CODE

Rick Ferguson
CONTACT PERSON

M. m
SIGNATURE OF DEALER/AGENT

BID SPECIFICATIONS FOR WATER SERVICE MATERIALS - BID #RWD-2024-36

BIDDER NAME:

| ITEM # | DESCRIPTION | |
|---------------|--|---------------|
| 1 | 24" bottom ID x 21" ID top x 48" long thermoplastic meter pit, notched (3"x4") in addition, pit wall thickness should be no more than .7" and no less than .3" SRMP212448FBW | 241.86 |
| 2 | 36" bottom ID x 36" ID top x 48"-long thermoplastic meter pit, notched (3" x 4") 180°. in addition, pit wall thickness should be no more than .7" and no less than .3" (provide cut sheet) | 501.25 |
| 3 | Ford A4-T ductile iron meter pit cover, (provide cut sheet) | 127.73 |
| 4 | Ford MC-36-T large meter pit cover, (provide cut sheet) | 729.84 |
| 5 | Ford FIB 48" X 48" x 3/32" thick meter pit insulating blanket | NO BID |
| 6 | Ford ER25AW 2 1/2" elevator ring for Wabash covers | 42.57 |
| 7 | Ford ER4AW 4" elevator ring for Wabash covers | 61.74 |
| 8 | Ford MC-24-TT large monitor cover with Ext-5 extension ring | 569.41 |
| 9 | Heavy duty frames & covers (see attached spec sheet) | 271.95 |
| 10 | Ford 3/4" F1000-3-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 53.05 |
| 11 | Ford 1" F1000-4-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 80.33 |
| 12 | Ford 1 1/2" FB1000-6-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 227.68 |
| 13 | Ford 2" FB1000-7-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 376.53 |
| 14 | Ford 2" FB1100-7-G QNL ballcorp-male iron pipe thread inlet by pack joint outlet for copper or plastic tubing (CTS) | 376.53 |
| 15 | Ford 3/4" F600-3 NL AWWA/CC taper thread inlet by flared copper outlet | 49.47 |
| 16 | Ford 1" F600-4 NL AWWA/CC taper thread inlet by flared copper outlet | 75.50 |
| 17 | Ford 3/4" L02-33 NL quarter bend female copper thread by flare copper (less nuts) | 43.35 |
| 18 | Ford 1" L02-44S NL quarter bend female copper tread swivel nut by flare copper | 71.86 |
| 19 | Ford 3/4" L04-33S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS) | 52.36 |

| | | |
|----|--|--------|
| 20 | Ford 1" L04-44S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS) | 74.24 |
| 21 | Ford 6" FC202-(669, 690, 760)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 85.19 |
| 22 | Ford 8" FC202-(871, 905, 979)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 99.16 |
| 23 | Ford 10" FC202-(1075, 1110, 1212)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 115.80 |
| 24 | Ford 12" FC202-(1275, 1320, 1438)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** | 133.10 |
| 25 | Ford Y501 iron yoke bar for 5/8" meter size | 16.94 |
| 26 | Ford Y503 iron yoke bar for 3/4" meter size | 19.02 |
| 27 | Ford Y504 iron yoke bar for 1" meter size | 29.24 |
| 28 | Ford EC-1 NL 5/8" standard expansion connection | 30.20 |
| 29 | Ford EC-23 NL 3/4" standard expansion connection | 31.41 |
| 30 | Ford EC-4 NL 1" standard expansion connection | 56.08 |
| 31 | Ford GT-108 5/8" rubber gasket | .45 |
| 32 | Ford GT-112 5/8" yoke gasket | .45 |
| 33 | Ford GT-120 1" gasket | .45 |
| 34 | Ford GT-123 flat washer for 1" expander | .55 |
| 35 | Ford GT-210 flat washer for 5/8" expander | .95 |
| 36 | Ford GT-211 flat washer for 1" meter | 1.35 |
| 37 | Ford GT-34 beveled washer for 1" expander | 1.55 |
| 38 | Ford GT-32 beveled washer for 5/8" expander | 1.05 |
| 39 | Ford B44-777 QNL ball valve curb stop 2" size x 2" x 2" pack joint for copper or plastic (CTS) | 553.01 |
| 40 | Ford AV92-313W NL angle yoke key valve 3/4" size x 3/4" flare copper x 5/8" meter | 53.68 |
| 41 | Ford AV92-323W NL angle yoke key valve 3/4" size x 3/4" flare copper x 3/4" meter | 53.68 |
| 42 | Ford AV92-444W NL angle yoke key valve 1" size x 1" flare copper x 1" meter | 80.55 |

| | | |
|----|---|---------------|
| 43 | Ford AV94-313W NL angle yoke key valve $\frac{3}{4}$ " size x $\frac{3}{4}$ " pack joint (CTS) x 5/8" meter | 63.06 |
| 44 | Ford AV94-444W NL angle yoke key valve 1" size x 1" pack joint (CTS) x 1" meter | 86.36 |
| 45 | Ford HA91-444D NL angle check valve for yokes 1" size x 1" meter x 1" FIP | 179.86 |
| 46 | Ford HA92-313D NL angle check valve for yokes $\frac{3}{4}$ " size x 5/8" meter x $\frac{3}{4}$ " flare copper | 105.33 |
| 47 | Ford B22-333 QNL ball valve curb stop $\frac{3}{4}$ " size x $\frac{3}{4}$ " x $\frac{3}{4}$ " flare copper both ends | 110.00 |
| 48 | Ford B22-444 QNL ball valve curb stop 1" size x 1" x 1" flare copper both ends (no reducer port) | 151.97 |
| 49 | Ford B44-333 QNL ball valve curb stop $\frac{3}{4}$ " X $\frac{3}{4}$ " X $\frac{3}{4}$ " pack joint for CTS | 108.64 |
| 50 | Ford B44-444 QNL ball valve curb stop 1" X 1" X 1" pack joint for CTS | 163.27 |
| 51 | Ford B44-666 QNL ball valve curb stop 1 $\frac{1}{2}$ " size x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " pack joint for copper or plastic (CTS) | 371.64 |
| 52 | Ford A14 NL meter adapter to change 5/8" meter to 1" meter spud size and length | 22.59 |
| 53 | Ford C44-33 QNL pack joint coupling $\frac{3}{4}$ " x $\frac{3}{4}$ " | 29.64 |
| 54 | Ford C44-34 QNL pack joint coupling $\frac{3}{4}$ " x 1" | 32.68 |
| 55 | Ford C44-44 QNL pack joint coupling 1" x 1" | 32.33 |
| 56 | Ford C44-66 QNL pack joint coupling 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " | 113.98 |
| 57 | Ford C44-77 QNL pack joint coupling 2" x 2" | 153.93 |
| 58 | Ford C45-33 QNL pack joint coupling $\frac{3}{4}$ " CTS x $\frac{3}{4}$ " IP | 48.27 |
| 59 | Ford C45-34 QNL pack joint coupling $\frac{3}{4}$ " CTS x 1" IP | 60.75 |
| 60 | Ford C45-43 QNL pack joint coupling 1" CTS x $\frac{3}{4}$ " IP | 60.75 |
| 61 | Ford C45-44 QNL pack joint coupling 1" CTS x 1" IP | 66.65 |
| 62 | Ford C45-45 QNL pack joint coupling 1" CTS x 1 1/4" IP | 50.69 |
| 63 | Ford T444-333 QNL $\frac{3}{4}$ " CTS X $\frac{3}{4}$ " CTS, service tee pack joint | 68.13 |
| 64 | Ford T444-444 QNL 1" CTS X 1" CTS, service tee pack joint | 94.47 |
| 65 | Ford T444-666 QNL 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " service tee pack joint | 177.19 |

| | | |
|----|--|-----------------|
| 66 | Ford T444-777 QNL 2" x 2" x 2" service tee pack joint | 432.50 |
| 67 | Mueller H-15403N 3/4" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 29.64 |
| 68 | Mueller H-15403N 1" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 32.33 |
| 69 | Mueller H-15403N 1 1/2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 113.98 |
| 70 | Mueller H-15403N 2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends | 153.93 |
| 71 | Mueller H-15451N 1 1/2" conductive compression CTS x FIP | 101.47 |
| 72 | Mueller H-15451N 2" conductive compression CTS x FIP | 120.91 |
| 73 | Mueller N-35428N 1" MIP inlet x Mueller 110 compression connection CTS 1" outlet | 101.23 |
| 74 | Mueller N-35071N 3/4" insulated straight service connection 3/4" female copper flare x 3/4" CTS outlet | 104.18 |
| 75 | Mueller P-15381N 1 1/2" X 1 1/2" X 1" service tee pack joint connection for CTS O.D. | 158.67 |
| 76 | Mueller P-15381N 2" X 2" X 1" service tee pack joint connection for CTS O.D. | 413.99 |
| 77 | Mueller P-15343N 1" X 1 1/2" two branch-body pack joint for CTS O.D. tubing, or equal | 149.08 |
| 78 | Mueller H-15343N 1" X 2" two branch-body 110 conductive compression connection for CTS O.D. tubing, or equal | 173.23 |
| 79 | 3/4" threaded rod coupling nut. | 3.43 PER 4 PACK |
| 80 | 1" x 100' type "K" copper.(roll) | 905.91 |
| 81 | 3/4" x 100' type "K" copper.(roll) | 682.60 |
| 82 | 3/4" x 400' PVC tubing, water grade rated at 160-200 psi. (roll) | 144.00 |
| 83 | 1" x 300' PVC tubing, water grade rated at 160-200 psi.(roll) | 174.00 |
| 84 | 1 1/2" x 300' PVC tubing, water grade rated at 160-200 psi.(roll) | 360.00 |
| 85 | Mueller H-15346N 1" X 2" three branch fitting, or equal | 221.32 |
| 86 | Ford 6" FS1-(635, 696, 724, 745, 785) x 12.5 stainless steel repair clamp. | 162.90 |
| 87 | Ford 8" FS1-(835, 894, 939, 967) x 12.5 stainless steel repair clamp. | 196.20 |
| 88 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 12.5 stainless steel repair clamp. | 241.41 |

| | | |
|-----|---|---------------|
| 89 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 12.5 stainless steel repair clamp. | 297.86 |
| 90 | Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp | 179.95 |
| 91 | Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp | 197.36 |
| 92 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp | 262.61 |
| 93 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp | 317.13 |
| 94 | Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp CC3/CC4 | 230.57 |
| 95 | Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp CC3/CC4 | 249.88 |
| 96 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp CC3/CC4 | 445.40 |
| 97 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp CC3/CC4 | 523.31 |
| 98 | Ford 6" FC-1 ductile iron coupling with gasket and end rings. | 175.83 |
| 99 | Ford 8" FC-1 ductile iron coupling with gasket and end rings. | 233.53 |
| 100 | Ford 10" FC-1 ductile iron coupling with gasket and end rings. | 289.81 |
| 101 | Ford 12" FC-1 ductile iron coupling with gasket and end rings. | 366.92 |
| 102 | Ford BBAA-43-NL 1" male AWWA Taper Thread x 3/4" female AWWA Taper Thread | 57.66 |
| 103 | 6" HYMAX 2000-0768-260 coupling (6.42-7.68 range) | 359.53 |
| 104 | 8" HYMAX 2000-0984-260 coupling (8.54-9.84 RANGE) | 405.92 |
| 105 | 10" HYMAX 2000-1200-260 coupling (10.70-12.00 RANGE) | 522.19 |
| 106 | 12" HYMAX 2000-1441-260 coupling (13.15-14.41 RANGE) | 737.38 |
| 107 | Ford 4" UFR-1300-(S, C)-4 uni-flange Block Buster Series 1300 pipe restraint | 49.03 |
| 108 | Ford 6" UFR-1300-(S, C)-6 uni-flange Block Buster Series 1300 pipe restraint | 58.36 |
| 109 | Ford 8" UFR-1300-(S, C)-8 uni-flange Block Buster Series 1300 pipe restraint | 87.04 |
| 110 | Ford 10" UFR-1300-(S, C)-10 uni-flange Block Buster Series 1300 pipe restraint | 163.99 |
| 111 | Ford 12" UFR-1300-(S, C)-12 uni-flange Block Buster Series 1300 pipe restraint | 212.25 |

| | | |
|-----|--|--------|
| 112 | HYMAX FLIP 2 Extended Range Transition Coupling 2" | 147.21 |
| 113 | HYMAX FLIP 2 Extended Range Transition Coupling 3" | 194.20 |
| 114 | HYMAX FLIP 2 Extended Range Transition Coupling 4" | 248.86 |
| 115 | HYMAX FLIP2 Extended Range Transition Coupling 6" | 329.57 |
| 116 | HYMAX FLIP2 Extended Range Transition Coupling 8" | 372.08 |
| 117 | HYMAX FLIP2 Extended Range Transition Coupling 10" Undersize | 478.68 |
| 118 | HYMAX FLIP2 Extended Range Transition Coupling 10" Oversize | 506.12 |
| 119 | HYMAX FLIP2 Extended Range Transition Coupling 12" Undersize | 564.99 |
| 120 | HYMAX FLIP2 Extended Range Transition Coupling 12" Oversize | 675.93 |
| 121 | Ford 6" UFR-1400-DA-6-U Series 1400 wedge action retainer gland | 68.92 |
| 122 | Ford 8" UFR-1400-DA-8-U Series 1400 wedge action retainer gland | 92.04 |
| 123 | Ford 10" UFR-1400-DA-10-U Series 1400 wedge action retainer gland | 131.47 |
| 124 | Ford 12" UFR-1400-DA-12-U Series 1400 wedge action retainer gland | 173.76 |
| 125 | Ford 6" UFR-1400-DA-6-XL-U Series 1400 wedge action retainer gland | 103.47 |
| 126 | Ford 8" UFR-1400-DA-8-XL-U Series 1400 wedge action retainer gland | 133.78 |
| 127 | Ford 10" UFR-1400-DA-10-XL-U Series 1400 wedge action retainer gland | 170.42 |
| 128 | Ford 12" UFR-1400-DA-12-XL-U Series 1400 wedge action retainer gland | 215.89 |
| 129 | Ford 4" UFA-200-(S, C)-4 uni-flange adapter flange Series 200 | 56.56 |
| 130 | Ford 6" UFA-200-(S, C)-6 uni-flange adapter flange Series 200 | 71.29 |
| 131 | Ford 8" UFA-200-(S, C)-8 uni-flange adapter flange Series 200 | 78.26 |
| 132 | Ford 10" UFA-200-(S, C)-10 uni-flange adapter flange Series 200 | 159.93 |
| 133 | Ford 12" UFA-200-(S, C)-12 uni-flange adapter flange Series 200 | 188.60 |
| 134 | Smith Blair 4" 274 bell joint repair clamp | 192.25 |

| | | |
|-----|---|--------------------------------|
| 135 | Smith Blair 6" 274 bell joint repair clamp | 207.48 |
| 136 | Smith Blair 8" 274 bell joint repair clamp | 254.86 |
| 137 | Smith Blair 10" 274 bell joint repair clamp | 358.35 |
| 138 | Smith Blair 12" 274 bell joint repair clamp | 377.06 |
| 139 | ROMAC 4" grap-(DI & IP) gripping pipe restrainer. | 78.41 |
| 140 | ROMAC 6" grap-(DI & IP) gripping pipe restrainer. | 95.18 |
| 141 | ROMAC 8" grap-(DI & IP) gripping pipe restrainer. | 133.53 |
| 142 | ROMAC 10" grap-(DI & IP) gripping pipe restrainer. | 231.81 |
| 143 | ROMAC 12" grap-(DI & IP) gripping pipe restrainer. | 245.90 |
| 144 | 6" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 443.30 |
| 145 | 8" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 563.66 |
| 146 | 10" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 748.61 |
| 147 | 12" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve | 835.71 |
| 148 | 6" x 6" x 6" hydrant tee, less accessories - domestic casting | 274.74 |
| 149 | 8" x 8" x 6" hydrant tee, less accessories - domestic casting | 409.13 |
| 150 | 10" x 10" x 6" hydrant tee, less accessories - domestic casting | 535.01 |
| 151 | 12" x 12" x 6" hydrant tee, less accessories - domestic casting | 621.77 |
| 152 | 6" mechanical joint with 90° bend, less accessories | 165.86 |
| 153 | 6" mechanical joint with 45° bend, less accessories | 136.09 |
| 154 | 6" mechanical joint with 22° bend | 124.18 |
| 155 | 6" push-on DI pipe cl52, specify length 20' 6" push-on DI pipe cl52, specify length 18" 6" push-on DI pipe cl52, specify length 20" | 32.00/ FT 20' STICK |
| 156 | 8" push-on DI pipe cl52, specify length 20' 8" push-on DI pipe cl52, specify length 18' 8" push-on DI pipe cl52, specify length 20" | 45.00/FT 20' STICK |

| | | |
|-----|--|-----------------------|
| 157 | 10" push-on DI pipe cl52, specify length 20' 10" push-on DI pipe cl52, specify length 18' 10" push-on DI pipe cl52, specify length 20' | 59.00/FT 20' STICK |
| 158 | 12" push-on DI pipe cl52, specify length 20' 12" push-on DI pipe cl52, specify length 18' 12" push-on DI pipe cl52, specify length 20' | 74.00/FT 20' STICK |
| 159 | Mueller 6" A-2361 MJ resilient wedge gate valve. | 1,025.59 |
| 160 | Mueller 8" A-2361 MJ resilient wedge gate valve. | 1,633.44 |
| 161 | Mueller 10" A-2361 MJ resilient wedge gate valve. | 2,546.85 |
| 162 | Mueller 12" A-2361 MJ resilient wedge gate valve. | 3,222.68 |
| 163 | Mueller 6" HC-2361-44-D-150 MJ cut-in valve. | 2,230.23 |
| 164 | Mueller 8" HC-2361-44-D-150 MJ cut-in valve. | 3,419.52 |
| 165 | Mueller 10" HC-2361-44-D-150 MJ cut-in valve. | 5,937.07 |
| 166 | Mueller 12" HC-2361-44-D-150 MJ cut-in valve. | 8,131.16 |
| 167 | Mueller Super Centurion 250 4 1/2" MVO fire hydrant with acuagrip foot & 5' bury. | 3,710.05 |
| 168 | Mueller Super Centurion 6" hydrant extension kit. | 777.85 |
| 169 | Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury square nuts | 3,794.94 |
| 170 | Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury 5 sided nuts | 3,794.94 |
| 171 | Mueller Super Centurion 1' hydrant extension kit. | 1,006.63 |
| 172 | Mueller hydrant repair stems, 4 1/2' MVO (all models) | 314.27 |
| 173 | Clow Medalion 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | NO BID |
| 174 | Clow Medalion 6" hydrant extension kit. | NO BID |
| 175 | Clow Medalion 1' hydrant extension kit. | NO BID |
| 176 | Clow Medalion fire hydrant breakaway repair kit. | NO BID |
| 177 | Kennedy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | NO BID |
| 178 | KENNEDY 4 1/2" MVO hydrant repair kit | NO BID |

| | | |
|-----|---|---------|
| 179 | KENNEDY 6" hydrant extension kit. | NO BID |
| 180 | KENNEDY 1' hydrant extension kit. | NO BID |
| 181 | Eddy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | NO BID |
| 182 | Clow Eddy F-2640 4 1/2" fire hydrant breakaway repair kit. | NO BID |
| 183 | Mueller Super Centurion 250 fire hydrant breakaway repair kit. | 378.00 |
| 184 | Mueller Super Centurion 350 fire hydrant breakaway repair kit | 378.00 |
| 185 | Fire hydrant breakaway repair kit with brass safety stem coupling. | 378.00 |
| 186 | 6" pipe clamp and washers. | 37.86 |
| 187 | 8" pipe clamp and washers. | 40.63 |
| 188 | 10" pipe clamp and washers. | 45.43 |
| 189 | 12" pipe clamp and washers. | 58.09 |
| 190 | Bucket of nuts and eye bolts for hydrant rod (specify quantity in bucket <u>50</u>). | 4.96 EA |
| 191 | Bucket of ductile iron duc-lugs (specify quantity in bucket <u>65</u>). | 3.90 |
| 192 | 3/4" tie bolts. | 4.65 |
| 193 | 3/4" x 6' threaded hydrant rod. | 18.60 |
| 194 | 2" x 300' PVC tubing, water grade rated at 160-200 psi. | 701.40 |
| 195 | 25 lbs. lead wool (indicate if price is per pound or per 25 pounds; i.e., \$10.00/lb or \$10/25 lbs). | 529.75 |
| 196 | 4" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 197 | 6" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 198 | 8" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 199 | 10" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 200 | 12" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. | NO BID |
| 201 | 4" full-face flange gasket and bolt kit-1/8" thickness. | 15.87 |

| | | |
|-----|---|--------------------------|
| 202 | 6" full-face flange gasket and bolt kit-1/8" thickness. | 16.43 |
| 203 | 8" full-face flange gasket and bolt kit-1/8" thickness. | 23.80 |
| 204 | 10" full-face flange gasket and bolt kit-1/8" thickness. | 43.64 |
| 205 | 12" full-face flange gasket and bolt kit-1/8" thickness. | 46.28 |
| 206 | Reflective fiberglass hydrant flag, plate-mount flat, 64" X .375", reflective red & white color | 34.80 |
| 207 | Reflective mini flat, 4" X 5" for .375 shaft, reflective red & white color | 12.58 |
| 208 | 3/4" CC drill & tap for "Mueller B101" tapping machine | 275.86 |
| 209 | 1" CC drill & tap for "Mueller B101" tapping machine | 352.22 |
| 210 | 1 3/4" carbide-tip hole saw cutter | 29.25 |
| 211 | 1/4" carbide-tip pilot cutter | 5.01 |
| 212 | Silver reflective paint (price per quart) | 429.95 |
| 213 | Safety orange hydrant paint (Rust-Oleum enamel brush-on/roll-on only - price per gallon). | 94.50 |
| 214 | Mark out paint (AWWA blue) 20 oz. cans, or equal | 6.29 MIN ORDER QTY 12 |
| 215 | MA013922 food-grade anti-seize, 1 lb., or equal | 31.35 |
| 216 | SIGMA 1" cast iron valve box riser | 25.63 |
| 217 | SIGMA 1.5" cast iron valve box riser | 33.43 |
| 218 | SIGMA 2" cast iron valve box riser | 33.43 |
| 219 | SIGMA 3" cast iron valve box riser | 43.46 |
| 220 | SIGMA 4" cast iron valve box riser | 49.03 |
| 221 | SIGMA 6" cast iron valve box riser | 66.86 |
| 222 | SIGMA valve box complete with covers & 16" top section (all cast iron) | 117.44 |
| 223 | 16" ductile iron valve box top flange top section with cover | 114.64 |
| 224 | Domestic valve box cover | 24.51 |

| | | |
|-----|--|-----------------|
| 225 | SIGMA valve box bottom section (cast iron) | 65.15 |
| 226 | SIGMA 16" cast iron line valve box top section | 39.46 |
| 227 | SIGMA 26" cast iron line valve box top section | 64.24 |
| 228 | Buffalo-type 2 1/2" cast iron valve box | 63.79 |
| 229 | Mueller H-10373 2 1/2" repair lids for new style Buffalo-type curb box | 29.31 |
| 230 | Mueller H-10374 2 1/2" repair lids for old style Buffalo-type curb box | 29.31 |
| 231 | Mueller H-10374 3" repair lids for old style Buffalo-type curb box | 42.77 |
| 232 | Mueller H-10310 curb box complete for 1 1/2" x 2" service | 136.48 |
| 233 | CH15535 3/4" copper disk | 4.44 |
| 234 | DH15535 1" copper disk | 4.44 |
| 235 | Diamond blade for cured concrete, 14" x .125 x 1" | 186.92 |
| 236 | Diamond blade for green concrete/asphalt, 14" x .125 X 1" | 167.81 |
| 237 | Diamond blade for D.I., 14" x .125 x 1" | 219.87 |
| 238 | Husqvarna K760 gas powered saw Core & Main K770-14" | 1,179.85 |
| 239 | CST magnetic locator, Model 100, or equal | 660.34 |
| 240 | Ford 3/4" C44-33-4-75-Q-NL extended length coupling with quick joint | 38.93 |
| 241 | Ford 1" C44-44-4-75-Q-NL extended length coupling with quick joint | 42.46 |
| 242 | Ford 3/4" FSC-088-642 pipe OD .875 stainless steel dual-armor clamp | 60.11 |
| 243 | Ford 3/4" FSC-105-6R2 pipe OD 1.05 stainless steel dual-armor clamp | 60.11 |
| 244 | Ford 1" FSC-113-6R2 pipe OD 1.125 stainless steel dual-armor clamp | 60.31 |
| 245 | Ford 1" FSC-132-6R2 pipe OD 1.32 stainless steel dual-armor clamp | 47.44 |
| 246 | Ford 1 1/4" FSC-138-6R2 pipe OD 1.375 stainless steel dual-armor clamp | 61.06 |
| 247 | Ford 1 1/4" FSC-166-6R2 pipe OD 1.66 stainless steel dual-armor clamp | 61.27 |


| | | |
|-----|---|---------------|
| 248 | Ford 1 1/2" FSC-163-6R2 pipe OD 1.625 stainless steel dual-armor clamp | 61.27 |
| 249 | Ford 1 1/2" FSC-190-6R2 pipe OD 1.90 stainless steel dual-armor clamp | 62.10 |
| 250 | Ford 2" FSC-213-6R2 pipe OD 2.125 stainless steel dual-armor clamp | 62.67 |
| 251 | Ford 2" FSC-238-6R2 pipe OD 2.38 stainless steel dual-armor clamp | 63.58 |
| 252 | Ford 1 1/2" VBHH76-24-44-66 NL irrigation copper setter, no by-pass | NO BID |
| 253 | Ford 2" VBHH77-24-44-77 NL irrigation copper setter, no by-pass | NO BID |
| 254 | Ford 1 1/2" VBHH76-24HB-44-66 NL domestic copper setter, high by-pass | NO BID |
| 255 | 1 1/2" VBHH76-24HSLC-44-66-NL w/locking high bypass | NO BID |
| 256 | 2" VBHH77-24HSLC-44-77-NL w/locking high bypass | NO BID |
| 257 | Ford 2" VBHH77-24HB-44-77 NL domestic copper setter, high by-pass | NO BID |
| 258 | Ford PTP-BR plastic AMR plug | NO BID |
| 259 | Ford PTP-BR-3-25 plastic AMR plug | NO BID |
| 260 | B & T curb box top 20" P2TL20W | 42.89 |
| 261 | W3BPO plastic inner lid | 26.67 |
| 262 | W3PD plastic inner lid | 46.79 |
| 263 | Ford WA3L-T meter pit covers (lid only) | NO BID |
| 264 | Ford Meter Box Cover (A4PR-BR style) | NO BID |
| 265 | Ford Plastic Lid for Iron Frame (WA3LPR-BR style) | NO BID |
| 266 | Bingham & Taylor BTA 32 cast iron lid w/recess thru-hole for Sensus transmitter (IFL180BTA32TR) | 74.91 |
| 267 | Bingham & Taylor 12.25" A Style plastic lid w/recessed thru-hole for Sensus (NCUL12.25PWATTHS) | 53.76 |
| 268 | Bingham & Taylor #180-21-AW-EH-TR Meter Frame (CULF18021AWEH) | 127.71 |
| 269 | Clow 6" F-6111 MJ cut-in valve | NO BID |
| 270 | Clow 8" F-6111 MJ cut-in valve | NO BID |

| | | |
|-----|--|--|
| 271 | Clow 10" F-6111 MJ cut-in valve | NO BID |
| 272 | Clow 12" F-6111 MJ cut-in valve | NO BID |
| 273 | MJ Plug for 6'/8"/10"/12" | 6":105.59 8":149.80 10":192.22 12":312.24 |
| 274 | MJ Cap for 6"/8"/10"/12" | 6": 90.24 8": 139.88 10":160.63 12": 203.95 |
| 275 | Ford Swivel eighth bend LA04-44S-G | NO BID |
| 276 | Ford adjustable meter flange (CF31-77EXP-NL) 2" meter flange x 2" female iron pipe | NO BID |
| 277 | Ford adjustable meter flange (CF38-77EXP-NL) 2" meter flange x 2" male iron pipe | NO BID |

*** BRASS LEAD TIME 7 TO 40 WEEKS**
*** HYDRANTS & PARTS 3-6 WEEKS**
*** MACHINES & TOOLS 8-16 WEEKS**
*** HYMAX COUPLERS STOCK TO 10 WEEKS**
*** SMITH BLAIR ESTIMATED 20-25 WORKING DAYS PLUS TRANSIT TIME**

SEXUAL HARASSMENT PREVENTION STATEMENT

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that the bidder has and has implemented a written policy addressing sexual harassment prevention in the workplace and provides annual sexual harassment prevention training to all of its employees. Such policy shall, at a minimum, meet the requirements of §201-G of the Labor Law.

Signature: 

Print Name: Andrew McLoughlin

Title: Area Sales Manager

Company Name: Ferguson

Date: 2/21/2024

Please complete and affix to your sealed bid envelope.



BIDS MUST BE DELIVERED TO THE TOWN CLERK'S OFFICE

BIDDER: _____

ADDRESS: _____

BID NAME: WATER SERVICE MATERIALS

BID #2024-36-RWD

BID OPENING DATE: February 29, 2024

TIME: 11:00 am

BIDS MUST BE DELIVERED TO:

**TOWN OF RIVERHEAD
TOWN CLERKS OFFICE
4 West 2nd Street
RIVERHEAD, NY 11901**

PRIOR TO 11:00 AM ON February 29, 2024

LATE BIDS WILL NOT BE ACCEPTED FOR ANY REASON



TOWN OF RIVERHEAD

Tim Hubbard, Supervisor

4 West 2nd Street
Riverhead, NY 11901
631-727-3200

BID # 2024-36-RWD

BID FOR: WATER SERVICE MATERIALS

Core & Main LP

BIDDERS NAME

1536 Southern Blvd Suite 2

BIDDERS ADDRESS

Bronx, NY. 10460

CITY, STATE, ZIP

(929) 458-3163

PHONE NUMBER

(845) 337-7065

FAX NUMBER


Karl.Rodriguez@coreandmain.com

E-MAIL ADDRESS

In compliance with your advertisement for bids to be opened on **February 29, 2024**, subject to all conditions thereof, the undersigned hereby proposes to furnish the item(s) and/or service(s) itemized in this proposal in accordance with the Notice to Bidders, General Information Agreement and Specifications contained herein on the Bid Proposal Form attached.

Bidder certifies that the prices quoted herein do not include Federal Excise Tax or any Federal, New York State or City Sales Tax and are not higher than prices charged to any governmental or commercial consumer for like merchandise and/or service; and all prices include shipping and freight charges to any Municipal building or site within the Town of Riverhead.

Respectfully submitted,



SIGNED BY Paul Meissner

Branch Manager

TITLE

BIDDERS ARE INVITED TO ATTEND BID OPENING

**TOWN OF RIVERHEAD
NOTICE TO BIDDERS**

Sealed bids for **WATER SERVICE MATERIALS** will be received by the Town Clerk of the Town of Riverhead at Town Hall, 4 West 2nd Street, Riverhead, New York, 11901, until **11:00 a.m. on February 29th, 2024**, at which time all bids will be opened and read aloud.

Bid Specifications and/or Plans may be obtained by visiting the Town of Riverhead website at www.townofriverheadny.gov/bids.aspx on or after February 15, 2024. Click on the title of the bid and follow the instructions to register.

The Town Board reserves the right and responsibility to reject any or all bids or to waive any formality if it believes such action to be in the best interest of the Town.

**BY ORDER OF THE TOWN BOARD
OF THE TOWN OF RIVERHEAD**

James M. Wooten, Town Clerk

GENERAL SPECIFICATIONS

GENERAL

Bidders shall be responsible to carefully examine the Specifications enclosed.

Bidders shall furnish their price and/or lump sum bid as called for on the Bid Proposal Sheet(s) attached. **Bids must specify Manufacturer lead times if longer than 30 days.**

Alternates of equal or superior design and/or quality shall be listed separately and a Manufacturer's Specification Sheet shall be submitted with a bid. Failure to submit such data may result in the disallowing of said bid.

The equipment and all associated components shall be furnished complete and ready for use. The equipment furnished shall be the Manufacturer's latest listed and published model, or models, which meet all the applicable requirements of these Specifications. These Specifications require the doing of all things necessary or proper for, or incidental to, the furnishing and delivery of said equipment and associated components.

All things not expressly mentioned in these specifications, but involved in carrying out their intent are required by these Specifications; and the vendor shall perform the same as though they were specifically mentioned, described and delineated.

DISCOUNTS

If Bidder allows cash discount, it shall be as follows:

For payment within 15 days of delivery and/or receipt of voucher.
For payment within 30 days of delivery and/or receipt of voucher.
Discount less than 1% will not be considered.

Cash discounts will not be considered in determining low bidders, but will be taken into consideration in awarding tie bids.

COMPLIANCE WITH RULES AND REGULATIONS

The unit and associated equipment furnished shall comply with all provisions which would be applicable, if the Town of Riverhead were a private corporation of Federal and State of New York Laws, Ordinances, Codes, Rules, Regulations, Orders, Permits and Licenses and with fire underwriters requirement, except that where the weight and dimensions requirements set forth herein exceed such provisions, these Specifications shall control.

NO-LEAD COMPLIANCE

In January, 2011, **Senate Bill 3874** was signed into law and created the **Reduction of Lead in Drinking Act**, which amended the Safe Drinking Water Act to reduce the allowable lead content in all products in contact with drinking water from 8.0% to 0.25% (weighted average). Therefore, any brass products must meet the no-lead compliance pursuant to the above.

DEVIATION

Minor deviations from the provisions of these Specifications will be considered to permit manufacturers to follow their standard manufacturing process.

Such deviations will be approved, however, only in the sole discretion of the Town of Riverhead and only if in its opinion they do not adversely affect the operation, maintenance, strength, efficiency, effectiveness, or life of the unit or any of its parts.

All proposed minor deviations, with full details, must be listed on a separate Detail Sheet, which must be attached to and made part of this bid.

The Town of Riverhead reserves the absolute right and responsibility in its sole discretion to accept or reject any or all bids, or parts thereof, and waive any formality if it believes such action to be in the best interest of the Town.

GUARANTEE

The vendor warrants and guarantees the equipment herein specified, including all associated equipment furnished, against any defects in design, workmanship and materials, and against failure to operate satisfactorily for a period of six months from the date of acceptance of the units, except defects or failure shown by the vendor. The vendor also warrants and guarantees that the equipment herein specified, if found to be defective or in need of repairs, will be picked up from and delivered back to the Town of Riverhead within a reasonable length of time.

PRICES

If a like or lower quantity of a standard item contained in this bid is sold by a vendor at a price less than the prices quoted herein, the price to the Town of Riverhead shall be reduced to that lower price.

QUANTITY

The Town of Riverhead is in no way obligated to purchase quantities neither shown nor limited to said quantities listed.

CONTRACT PERIOD

The contract period shall commence the date a resolution is adopted by the Town Board and shall run for a period of **ONE (1)** year from that date. The contract may be extended in 1 year increments (not to exceed two extensions) for a total three- (3) year contract upon the same terms and conditions at the sole discretion of the Town of Riverhead and with the consent of the vendor(s).

RESERVATIONS

The mention in the specifications of any unit, component, or equipment by brand name and/or model is meant to convey to the potential bidder the type and quality of the product required and desired by the Town. Any unit, component, or equipment which is of equal type and quality may be considered as such and may be acceptable to the Town, upon agreement by the Town Board to that fact. The decision of the Town Board, however, in such a circumstance is final.

Furthermore, the Town Board of the Town of Riverhead reserves the right and responsibility to reject any or all bids if they believe such action to be in the best interest of the Town.

QUESTIONS

Any questions or clarification to the bid specifications must be submitted in writing to the Purchasing Agent at 4 West 2nd Street, Riverhead, NY 11901 or by email to: baldinucci@townofriverheadny.gov prior to the bid opening. Such questions must be in the possession of the Purchasing Agent at least 72 hours prior to the bid opening. **Verbal questions will not be entertained.**

FUEL SURCHARGES

The Town of Riverhead will not pay any type of fuel surcharge. Any fuel charges added to invoices and/or vouchers will be deleted from any payments to be made to the vendor.

DELIVERY

All pricing is to include delivery; the Town of Riverhead will not pay anything additional for delivery charges.

Delivery is to be made within **30 DAYS** after receipt of an order via purchase order. **Lead time must be listed at the time of order on the order acknowledgement.** Failure to do so will result in order cancellation and order being processed by the next bidder.

Notification of delivery must be made **24 hours** prior to accommodate receipt of goods or delivery may be refused.

All equipment delivered shall be delivered "on the ground" at the delivery point designated on the purchase order. All deliveries are F.O.B. destination.

IRAN DIVESTMENT ACT CERTIFICATION

As a result of the Iran Divestment Act of 2012 (Act), Chapter 1 of the 2012 Laws of New York, a new provision has been added to the State Finance Law (SFL), § 165-a, effective April 12, 2012. Under the Act, the Commissioner of the Office of General Services (OGS) will be developing a list (prohibited entities list) of “persons” who are engaged in “investment activities in Iran” (both are defined terms in the law). Pursuant to SFL § 165-a(3)(b), the initial list is expected to be issued no later than 120 days after the Act’s effective date, at which time it will be posted on the OGS website.

By submitting a bid in response to this solicitation or by assuming the responsibility of a Contract awarded hereunder, Bidder/Contractor (or any assignee) certifies that once the prohibited entities list is posted on the OGS website, it will not utilize on such Contract any subcontractor that is identified on the prohibited entities list.

Additionally, Bidder/Contractor is advised that once the list is posted on the OGS website, any Contractor seeking to renew or extend a Contract or assume the responsibility of a Contract awarded in response to the solicitation, must certify at the time the Contract is renewed, extended or assigned that it is not included on the prohibited entities list.

During the term of the Contract, should the TOWN OF RIVERHEAD receive information that a person is in violation of the above-referenced certification, the TOWN OF RIVERHEAD will offer the person an opportunity to respond. If the person fails to demonstrate that it has ceased its engagement in the investment which is in violation of the Act within 90 days after the determination of such violation, then the TOWN OF RIVERHEAD shall take such action as may be appropriate including, but not limited to, imposing sanctions, seeking compliance, recovering damages, or declaring the Contractor in default.

The TOWN OF RIVERHEAD reserves the right to reject any bid or request for assignment for an entity that appears on the prohibited entities list prior to the award of a contract, and to pursue a responsibility review with respect to any entity that is awarded a contract and appears on the prohibited entities list after contract award.

Signature:



Print Name:

Paul Meissner

Title:

Branch Manager

Company Name:

Core & Main LP

Date:

2/22/24

ATTENTION

BIDDERS

IF YOU ARE NOT INTERESTED IN BIDDING THIS PARTICULAR PROJECT, PLEASE COMPLETE THE ATTACHED SHEET AND RETURN IT TO US.

WE ARE VERY INTERESTED IN LEARNING WHY YOU DO NOT BID. IF YOU SELL OTHER PRODUCTS AND WANT TO BE ON OUR BIDDER'S LIST, PLEASE LET US KNOW. PROVIDE A CONTACT NAME AND OTHER PERTINENT INFORMATION IF YOU WISH TO BE CONTACTED AT A LATER DATE FOR ANOTHER PRODUCT.

**BID # 2024-36-RWD
WATER SERVICE MATERIALS**

NON-BIDDER'S RESPONSE

VENDOR NAME: Type text here

For purposes of facilitating your firm's response to our invitation to bid, the Town of Riverhead is interested in ascertaining reasons for prospective bidders' failure to respond to invitations to bid. If your firm is not responding to this bid, please indicate the reason(s) by checking the appropriate item(s) below and returning this form to the Town of Riverhead Purchasing department at 4 West 2nd Street, Riverhead, N.Y. 11901.

We are not responding to this invitation to bid for the following reason(s):

Items or materials requested not manufactured by us or not available to our company.

Our items and/or materials do not meet specifications.

Specifications not clearly understood or applicable (too vague, too rigid, etc.)

Quantities too small.

Insufficient time allowed for preparation of bid.

Incorrect address used.

Correct address is: _____

Other reason(s): _____

NON-COLLUSIVE CERTIFICATE
(MUST BE COMPLETED, SIGNED, NOTARIZED AND RETURNED WITH BID)

UNDER PENALTIES OF PERJURY:

Core & Main LP _____ (BIDDER), BEING DULY SWORN,
DEPOSES AND SAYS:

- A) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- B) This bid or proposal has not knowingly been disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor, or potential competitor;
- C) No attempt has been made or will be made to induce any other person, partnership, or corporation to submit or not to submit a bid or proposal;
- D) The person signing this bid or proposal certifies that he has been fully informed regarding the accuracy of the statements contained in this certification, and under penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidder as the person signing on its behalf; and
- E) That the attached hereto (if a corporate bidder) is a certified copy of a resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

Corporation: Core & Main LP

(PRINT CORPORATION NAME) Limited Partnership

By: 

(SIGNATURE) Paul Meissner

Branch Manager

(TITLE)

Address: 1536 Southern Blvd Suite 2

Bronx, NY. 10460

Sworn to before me this

22 day of February, 2024

Jose' Sabastre
NOTARY PUBLIC

Jose' Sabastre
Notary Public, State of New York
Registration No. 01SA0020604
Qualified in Bronx County
Commission Expires February 1, 2026

BIDDER NAME: Core & Main LP

IWE FULLY UNDERSTAND THAT THE ACCEPTANCE OF THIS BID IS SUBJECT TO
THE PROVISIONS OF SECTION 103A AND 103B OF THE GENERAL MUNICIPAL LAW.

2/22/24
DATE

Core & Main LP
NAME OF AGENT/DEALER

1536 Southern Blvd Suite 2
ADDRESS

Bronx, NY. 10460
CITY, STATE, ZIP CODE

Karl Rodriguez
CONTACT PERSON


SIGNATURE OF DEALER/AGENT
Paul Meissner, Branch Manager

BID SPECIFICATIONS FOR WATER SERVICE MATERIALS - BID #RWD-2024-36

BIDDER NAME:

| ITEM # | DESCRIPTION | |
|---------------|--|--|
| 1 | 24" bottom ID x 21" ID top x 48" long thermoplastic meter pit, notched (3"x4") in addition, pit wall thickness should be no more than .7" and no less than .3" SRMP212448FBW | |
| 2 | 36" bottom ID x 36" ID top x 48"-long thermoplastic meter pit, notched (3" x 4") 180°. in addition, pit wall thickness should be no more than .7" and no less than .3" (provide cut sheet) | |
| 3 | Ford A4-T ductile iron meter pit cover, (provide cut sheet) | |
| 4 | Ford MC-36-T large meter pit cover, (provide cut sheet) | |
| 5 | Ford FIB 48" X 48" x 3/32" thick meter pit insulating blanket | |
| 6 | Ford ER25AW 2½" elevator ring for Wabash covers | |
| 7 | Ford ER4AW 4" elevator ring for Wabash covers | |
| 8 | Ford MC-24-TT large monitor cover with Ext-5 extension ring | |
| 9 | Heavy duty frames & covers (see attached spec sheet) | |
| 10 | Ford ¾" F1000-3-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | |
| 11 | Ford 1" F1000-4-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | |
| 12 | Ford 1½" FB1000-6-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | |
| 13 | Ford 2" FB1000-7-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS) | |
| 14 | Ford 2" FB1100-7-G QNL ballcorp-male iron pipe thread inlet by pack joint outlet for copper or plastic tubing (CTS) | |
| 15 | Ford ¾" F600-3 NL AWWA/CC taper thread inlet by flared copper outlet | |
| 16 | Ford 1" F600-4 NL AWWA/CC taper thread inlet by flared copper outlet | |
| 17 | Ford ¾" L02-33 NL quarter bend female copper thread by flare copper (less nuts) | |
| 18 | Ford 1" L02-44S NL quarter bend female copper tread swivel nut by flare copper | |
| 19 | Ford ¾" L04-33S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS) | |

| | |
|----|--|
| 20 | Ford 1" L04-44S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS) |
| 21 | Ford 6" FC202-(669, 690,760)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** |
| 22 | Ford 8" FC202-(871, 905, 979)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** |
| 23 | Ford 10" FC202-(1075, 1110, 1212)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** |
| 24 | Ford 12" FC202-(1275, 1320,1438)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.** |
| 25 | Ford Y501 iron yoke bar for 5/8" meter size |
| 26 | Ford Y503 iron yoke bar for 3/4" meter size |
| 27 | Ford Y504 iron yoke bar for 1" meter size |
| 28 | Ford EC-1 NL 5/8" standard expansion connection |
| 29 | Ford EC-23 NL 3/4" standard expansion connection |
| 30 | Ford EC-4 NL 1" standard expansion connection |
| 31 | Ford GT-108 5/8" rubber gasket |
| 32 | Ford GT-112 5/8" yoke gasket |
| 33 | Ford GT-120 1" gasket |
| 34 | Ford GT-123 flat washer for 1" expander |
| 35 | Ford GT-210 flat washer for 5/8" expander |
| 36 | Ford GT-211 flat washer for 1" meter |
| 37 | Ford GT-34 beveled washer for 1" expander |
| 38 | Ford GT-32 beveled washer for 5/8" expander |
| 39 | Ford B44-777 QNL ball valve curb stop 2" size x 2" x 2" pack joint for copper or plastic (CTS) |
| 40 | Ford AV92-313W NL angle yoke key valve 3/4" size x 3/4" flare copper x 5/8" meter |
| 41 | Ford AV92-323W NL angle yoke key valve 3/4" size x 3/4" flare copper x 3/4" meter |
| 42 | Ford AV92-444W NL angle yoke key valve 1" size x 1" flare copper x 1" meter |

| | | |
|----|---|--|
| 43 | Ford AV94-313W NL angle yoke key valve $\frac{3}{4}$ " size x $\frac{3}{4}$ " pack joint (CTS) x 5/8" meter | |
| 44 | Ford AV94-444W NL angle yoke key valve 1" size x 1" pack joint (CTS) x 1" meter | |
| 45 | Ford HA91-444D NL angle check valve for yokes 1" size x 1" meter x 1" FIP | |
| 46 | Ford HA92-313D NL angle check valve for yokes $\frac{3}{4}$ " size x 5/8" meter x $\frac{3}{4}$ " flare copper | |
| 47 | Ford B22-333 QNL ball valve curb stop $\frac{3}{4}$ " size x $\frac{3}{4}$ " x $\frac{3}{4}$ " flare copper both ends | |
| 48 | Ford B22-444 QNL ball valve curb stop 1" size x 1" x 1" flare copper both ends (no reducer port) | |
| 49 | Ford B44-333 QNL ball valve curb stop $\frac{3}{4}$ " X $\frac{3}{4}$ " X $\frac{3}{4}$ " pack joint for CTS | |
| 50 | Ford B44-444 QNL ball valve curb stop 1" X 1" X 1" pack joint for CTS | |
| 51 | Ford B44-666 QNL ball valve curb stop 1 $\frac{1}{2}$ " size x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " pack joint for copper or plastic (CTS) | |
| 52 | Ford A14 NL meter adapter to change 5/8" meter to 1" meter spud size and length | |
| 53 | Ford C44-33 QNL pack joint coupling $\frac{3}{4}$ " x $\frac{3}{4}$ " | |
| 54 | Ford C44-34 QNL pack joint coupling $\frac{3}{4}$ " x 1" | |
| 55 | Ford C44-44 QNL pack joint coupling 1" x 1" | |
| 56 | Ford C44-66 QNL pack joint coupling 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " | |
| 57 | Ford C44-77 QNL pack joint coupling 2" x 2" | |
| 58 | Ford C45-33 QNL pack joint coupling $\frac{3}{4}$ " CTS x $\frac{3}{4}$ " IP | |
| 59 | Ford C45-34 QNL pack joint coupling $\frac{3}{4}$ " CTS x 1" IP | |
| 60 | Ford C45-43 QNL pack joint coupling 1" CTS x $\frac{3}{4}$ " IP | |
| 61 | Ford C45-44 QNL pack joint coupling 1" CTS x 1" IP | |
| 62 | Ford C45-45 QNL pack joint coupling 1" CTS x 1 1/4" IP | |
| 63 | Ford T444-333 QNL $\frac{3}{4}$ " CTS X $\frac{3}{4}$ " CTS, service tee pack joint | |
| 64 | Ford T444-444 QNL 1" CTS X 1" CTS, service tee pack joint | |
| 65 | Ford T444-666 QNL 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " service tee pack joint | |

| | |
|----|--|
| 66 | Ford T444-777 QNL 2" x 2" x 2" service tee pack joint |
| 67 | Mueller H-15403N 3/4" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends |
| 68 | Mueller H-15403N 1" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends |
| 69 | Mueller H-15403N 1 1/2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends |
| 70 | Mueller H-15403N 2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends |
| 71 | Mueller H-15451N 1 1/2" conductive compression CTS x FIP |
| 72 | Mueller H-15451N 2" conductive compression CTS x FIP |
| 73 | Mueller N-35428N 1" MIP inlet x Mueller 110 compression connection CTS 1" outlet |
| 74 | Mueller N-35071N 3/4" insulated straight service connection 3/4" female copper flare x 3/4" CTS outlet |
| 75 | Mueller P-15381N 1 1/2" X 1 1/2" X 1" service tee pack joint connection for CTS O.D. |
| 76 | Mueller P-15381N 2" X 2" X 1" service tee pack joint connection for CTS O.D. |
| 77 | Mueller P-15343N 1" X 1 1/2" two branch-body pack joint for CTS O.D. tubing, or equal |
| 78 | Mueller H-15343N 1" X 2" two branch-body 110 conductive compression connection for CTS O.D. tubing, or equal |
| 79 | 3/4" threaded rod coupling nut. |
| 80 | 1" x 100' type "K" copper.(roll) |
| 81 | 3/4" x 100' type "K" copper.(roll) |
| 82 | 3/4" x 400' PVC tubing, water grade rated at 160-200 psi. (roll) |
| 83 | 1" x 300' PVC tubing, water grade rated at 160-200 psi.(roll) |
| 84 | 1 1/2" x 300' PVC tubing, water grade rated at 160-200 psi.(roll) |
| 85 | Mueller H-15346N 1" X 2" three branch fitting, or equal |
| 86 | Ford 6" FS1-(635, 696, 724, 745, 785) x 12.5 stainless steel repair clamp. |
| 87 | Ford 8" FS1-(835, 894, 939, 967) x 12.5 stainless steel repair clamp. |
| 88 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 12.5 stainless steel repair clamp. |

| | |
|-----|---|
| 89 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 12.5 stainless steel repair clamp. |
| 90 | Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp |
| 91 | Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp |
| 92 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp |
| 93 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp |
| 94 | Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp CC3/CC4 |
| 95 | Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp CC3/CC4 |
| 96 | Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp CC3/CC4 |
| 97 | Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp CC3/CC4 |
| 98 | Ford 6" FC-1 ductile iron coupling with gasket and end rings. |
| 99 | Ford 8" FC-1 ductile iron coupling with gasket and end rings. |
| 100 | Ford 10" FC-1 ductile iron coupling with gasket and end rings. |
| 101 | Ford 12" FC-1 ductile iron coupling with gasket and end rings. |
| 102 | Ford BBAA-43-NL 1" male AWWA Taper Thread x 3/4" female AWWA Taper Thread |
| 103 | 6" HYMAX 2000-0768-260 coupling (6.42-7.68 range) |
| 104 | 8" HYMAX 2000-0984-260 coupling (8.54-9.84 RANGE) |
| 105 | 10" HYMAX 2000-1200-260 coupling (10.70-12.00 RANGE) |
| 106 | 12" HYMAX 2000-1441-260 coupling (13.15-14.41 RANGE) |
| 107 | Ford 4" UFR-1300-(S, C)-4 uni-flange Block Buster Series 1300 pipe restraint |
| 108 | Ford 6" UFR-1300-(S, C)-6 uni-flange Block Buster Series 1300 pipe restraint |
| 109 | Ford 8" UFR-1300-(S, C)-8 uni-flange Block Buster Series 1300 pipe restraint |
| 110 | Ford 10" UFR-1300-(S, C)-10 uni-flange Block Buster Series 1300 pipe restraint |
| 111 | Ford 12" UFR-1300-(S, C)-12 uni-flange Block Buster Series 1300 pipe restraint |

| | |
|-----|--|
| 112 | HYMAX FLIP 2 Extended Range Transition Coupling 2" |
| 113 | HYMAX FLIP 2 Extended Range Transition Coupling 3" |
| 114 | HYMAX FLIP 2 Extended Range Transition Coupling 4" |
| 115 | HYMAX FLIP2 Extended Range Transition Coupling 6" |
| 116 | HYMAX FLIP2 Extended Range Transition Coupling 8" |
| 117 | HYMAX FLIP2 Extended Range Transition Coupling 10" Undersize |
| 118 | HYMAX FLIP2 Extended Range Transition Coupling 10" Oversize |
| 119 | HYMAX FLIP2 Extended Range Transition Coupling 12" Undersize |
| 120 | HYMAX FLIP2 Extended Range Transition Coupling 12" Oversize |
| 121 | Ford 6" UFR-1400-DA-6-U Series 1400 wedge action retainer gland |
| 122 | Ford 8" UFR-1400-DA-8-U Series 1400 wedge action retainer gland |
| 123 | Ford 10" UFR-1400-DA-10-U Series 1400 wedge action retainer gland |
| 124 | Ford 12" UFR-1400-DA-12-U Series 1400 wedge action retainer gland |
| 125 | Ford 6" UFR-1400-DA-6-XL-U Series 1400 wedge action retainer gland |
| 126 | Ford 8" UFR-1400-DA-8-XL-U Series 1400 wedge action retainer gland |
| 127 | Ford 10" UFR-1400-DA-10-XL-U Series 1400 wedge action retainer gland |
| 128 | Ford 12" UFR-1400-DA-12-XL-U Series 1400 wedge action retainer gland |
| 129 | Ford 4" UFA-200-(S, C)-4 uni-flange adapter flange Series 200 |
| 130 | Ford 6" UFA-200-(S, C)-6 uni-flange adapter flange Series 200 |
| 131 | Ford 8" UFA-200-(S, C)-8 uni-flange adapter flange Series 200 |
| 132 | Ford 10" UFA-200-(S, C)-10 uni-flange adapter flange Series 200 |
| 133 | Ford 12" UFA-200-(S, C)-12 uni-flange adapter flange Series 200 |
| 134 | Smith Blair 4" 274 bell joint repair clamp |

| | |
|-----|---|
| 135 | Smith Blair 6" 274 bell joint repair clamp |
| 136 | Smith Blair 8" 274 bell joint repair clamp |
| 137 | Smith Blair 10" 274 bell joint repair clamp |
| 138 | Smith Blair 12" 274 bell joint repair clamp |
| 139 | ROMAC 4" grap-(DI & IP) gripping pipe restrainer. |
| 140 | ROMAC 6" grap-(DI & IP) gripping pipe restrainer. |
| 141 | ROMAC 8" grap-(DI & IP) gripping pipe restrainer. |
| 142 | ROMAC 10" grap-(DI & IP) gripping pipe restrainer. |
| 143 | ROMAC 12" grap-(DI & IP) gripping pipe restrainer. |
| 144 | 6" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve |
| 145 | 8" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve |
| 146 | 10" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve |
| 147 | 12" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve |
| 148 | 6" x 6" x 6" hydrant tee, less accessories - domestic casting |
| 149 | 8" x 8" x 6" hydrant tee, less accessories - domestic casting |
| 150 | 10" x 10" x 6" hydrant tee, less accessories - domestic casting |
| 151 | 12" x 12" x 6" hydrant tee, less accessories - domestic casting |
| 152 | 6" mechanical joint with 90° bend, less accessories |
| 153 | 6" mechanical joint with 45° bend, less accessories |
| 154 | 6" mechanical joint with 22° bend |
| 155 | 6" push-on DI pipe cl52, specify length 20' 6" push-on DI pipe cl52, specify length 18" 6" push-on DI pipe cl52, specify length 20" |
| 156 | 8" push-on DI pipe cl52, specify length 20' 8" push-on DI pipe cl52, specify length 18' 8" push-on DI pipe cl52, specify length 20' |

| | | |
|-----|--|--|
| 157 | 10" push-on DI pipe cl52, specify length 20' 10" push-on DI pipe cl52, specify length 18' 10" push-on DI pipe cl52, specify length 20' | |
| 158 | 12" push-on DI pipe cl52, specify length 20' 12" push-on DI pipe cl52, specify length 18' 12" push-on DI pipe cl52, specify length 20' | |
| 159 | Mueller 6" A-2361 MJ resilient wedge gate valve. | |
| 160 | Mueller 8" A-2361 MJ resilient wedge gate valve. | |
| 161 | Mueller 10" A-2361 MJ resilient wedge gate valve. | |
| 162 | Mueller 12" A-2361 MJ resilient wedge gate valve. | |
| 163 | Mueller 6" HC-2361-44-D-150 MJ cut-in valve. | |
| 164 | Mueller 8" HC-2361-44-D-150 MJ cut-in valve. | |
| 165 | Mueller 10" HC-2361-44-D-150 MJ cut-in valve. | |
| 166 | Mueller 12" HC-2361-44-D-150 MJ cut-in valve. | |
| 167 | Mueller Super Centurion 250 4 1/2" MVO fire hydrant with acuagrip foot & 5' bury. | |
| 168 | Mueller Super Centurion 6" hydrant extension kit. | |
| 169 | Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury square nuts | |
| 170 | Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury 5 sided nuts | |
| 171 | Mueller Super Centurion 1' hydrant extension kit. | |
| 172 | Mueller hydrant repair stems, 4 1/2" MVO (all models) | |
| 173 | Clow Medalion 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | |
| 174 | Clow Medalion 6" hydrant extension kit. | |
| 175 | Clow Medalion 1' hydrant extension kit. | |
| 176 | Clow Medalion fire hydrant breakaway repair kit. | |
| 177 | Kennedy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. | |
| 178 | KENNEDY 4 1/2" MVO hydrant repair kit | |

| | |
|-----|---|
| 179 | KENNEDY 6" hydrant extension kit. |
| 180 | KENNEDY 1' hydrant extension kit. |
| 181 | Eddy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury. |
| 182 | Clow Eddy F-2640 4 1/2" fire hydrant breakaway repair kit. |
| 183 | Mueller Super Centurion 250 fire hydrant breakaway repair kit. |
| 184 | Mueller Super Centurion 350 fire hydrant breakaway repair kit |
| 185 | Fire hydrant breakaway repair kit with brass safety stem coupling. |
| 186 | 6" pipe clamp and washers. |
| 187 | 8" pipe clamp and washers. |
| 188 | 10" pipe clamp and washers. |
| 189 | 12" pipe clamp and washers. |
| 190 | Bucket of nuts and eye bolts for hydrant rod (specify quantity in bucket 50). |
| 191 | Bucket of ductile iron duc-lugs (specify quantity in bucket ____). |
| 192 | 3/4" tie bolts. |
| 193 | 3/4" x 6' threaded hydrant rod. |
| 194 | 2" x 300' PVC tubing, water grade rated at 160-200 psi. |
| 195 | 25 lbs. lead wool (indicate if price is per pound or per 25 pounds; i.e., \$10.00/lb or \$10/25 lbs). |
| 196 | 4" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. |
| 197 | 6" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. |
| 198 | 8" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. |
| 199 | 10" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. |
| 200 | 12" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel. |
| 201 | 4" full-face flange gasket and bolt kit-1/8" thickness. |

| | |
|-----|---|
| 202 | 6" full-face flange gasket and bolt kit-1/8" thickness. |
| 203 | 8" full-face flange gasket and bolt kit-1/8" thickness. |
| 204 | 10" full-face flange gasket and bolt kit-1/8" thickness. |
| 205 | 12" full-face flange gasket and bolt kit-1/8" thickness. |
| 206 | Reflective fiberglass hydrant flag, plate-mount flat, 64" X .375", reflective red & white color |
| 207 | Reflective mini flat, 4" X 5" for .375 shaft, reflective red & white color |
| 208 | ¾" CC drill & tap for "Mueller B101" tapping machine |
| 209 | 1" CC drill & tap for "Mueller B101" tapping machine |
| 210 | 1 ¾" carbide-tip hole saw cutter |
| 211 | ¼" carbide-tip pilot cutter |
| 212 | Silver reflective paint (price per quart) |
| 213 | Safety orange hydrant paint (Rust-Oleum enamel brush-on/roll-on only - price per gallon). |
| 214 | Mark out paint (AWWA blue) 20 oz. cans, or equal |
| 215 | MA013922 food-grade anti-seize, 1 lb., or equal |
| 216 | SIGMA 1" cast iron valve box riser |
| 217 | SIGMA 1.5" cast iron valve box riser |
| 218 | SIGMA 2" cast iron valve box riser |
| 219 | SIGMA 3" cast iron valve box riser |
| 220 | SIGMA 4" cast iron valve box riser |
| 221 | SIGMA 6" cast iron valve box riser |
| 222 | SIGMA valve box complete with covers & 16" top section (all cast iron) |
| 223 | 16" ductile iron valve box top flange top section with cover |
| 224 | Domestic valve box cover |


| | |
|-----|--|
| 225 | SIGMA valve box bottom section (cast iron) |
| 226 | SIGMA 16" cast iron line valve box top section |
| 227 | SIGMA 26" cast iron line valve box top section |
| 228 | Buffalo-type 2 1/2" cast iron valve box |
| 229 | Mueller H-10373 2 1/2" repair lids for new style Buffalo-type curb box |
| 230 | Mueller H-10374 2 1/2" repair lids for old style Buffalo-type curb box |
| 231 | Mueller H-10374 3" repair lids for old style Buffalo-type curb box |
| 232 | Mueller H-10310 curb box complete for 1 1/2" x 2" service |
| 233 | CH15535 3/4" copper disk |
| 234 | DH15535 1" copper disk |
| 235 | Diamond blade for cured concrete, 14" x .125 x 1" |
| 236 | Diamond blade for green concrete/asphalt, 14" x .125 X 1" |
| 237 | Diamond blade for D.I., 14" x .125 x 1" |
| 238 | Husqvarna K760 gas powered saw Core & Main K770-14" |
| 239 | CST magnetic locator, Model 100, or equal |
| 240 | Ford 3/4" C44-33-4-75-Q-NL extended length coupling with quick joint |
| 241 | Ford 1" C44-44-4-75-Q-NL extended length coupling with quick joint |
| 242 | Ford 3/4" FSC-088-642 pipe OD .875 stainless steel dual-armor clamp |
| 243 | Ford 3/4" FSC-105-6R2 pipe OD 1.05 stainless steel dual-armor clamp |
| 244 | Ford 1" FSC-113-6R2 pipe OD 1.125 stainless steel dual-armor clamp |
| 245 | Ford 1" FSC-132-6R2 pipe OD 1.32 stainless steel dual-armor clamp |
| 246 | Ford 1 1/4" FSC-138-6R2 pipe OD 1.375 stainless steel dual-armor clamp |
| 247 | Ford 1 1/4" FSC-166-6R2 pipe OD 1.66 stainless steel dual-armor clamp |

| | |
|-----|---|
| 248 | Ford 1 1/2" FSC-163-6R2 pipe OD 1.625 stainless steel dual-armor clamp |
| 249 | Ford 1 1/2" FSC-190-6R2 pipe OD 1.90 stainless steel dual-armor clamp |
| 250 | Ford 2" FSC-213-6R2 pipe OD 2.125 stainless steel dual-armor clamp |
| 251 | Ford 2" FSC-238-6R2 pipe OD 2.38 stainless steel dual-armor clamp |
| 252 | Ford 1 1/2" VBHH76-24-44-66 NL irrigation copper setter, no by-pass |
| 253 | Ford 2" VBHH77-24-44-77 NL irrigation copper setter, no by-pass |
| 254 | Ford 1 1/2" VBHH76-24HB-44-66 NL domestic copper setter, high by-pass |
| 255 | 1 1/2" VBHH76-24HBSLC-44-66-NL w/locking high bypass |
| 256 | 2" VBHH77-24HBSLC-44-77-NL w/locking high bypass |
| 257 | Ford 2" VBHH77-24HB-44-77 NL domestic copper setter, high by-pass |
| 258 | Ford PTP-BR plastic AMR plug |
| 259 | Ford PTP-BR-3-25 plastic AMR plug |
| 260 | B & T curb box top 20" P2TL20W |
| 261 | W3BPO plastic inner lid |
| 262 | W3PD plastic inner lid |
| 263 | Ford WA3L-T meter pit covers (lid only) |
| 264 | Ford Meter Box Cover (A4PR-BR style) |
| 265 | Ford Plastic Lid for Iron Frame (WA3LPR-BR style) |
| 266 | Bingham & Taylor BTA 32 cast iron lid w/recess thru-hole for Sensus transmitter (IFL180BTA32TR) |
| 267 | Bingham & Taylor 12.25" A Style plastic lid w/recessed thru-hole for Sensus (NCUL12.25PWATTHS) |
| 268 | Bingham & Taylor #180-21-AW-EH-TR Meter Frame (CULF18021AWEH) |
| 269 | Clow 6" F-6111 MJ cut-in valve |
| 270 | Clow 8" F-6111 MJ cut-in valve |

| | | |
|-----|--|--|
| 271 | Clow 10" F-6111 MJ cut-in valve | |
| 272 | Clow 12" F-6111 MJ cut-in valve | |
| 273 | MJ Plug for 6'/8"/10"/12" | |
| 274 | MJ Cap for 6"/8"/10"/12" | |
| 275 | Ford Swivel eighth bend LA04-44S-G | |
| 276 | Ford adjustable meter flange (CF31-77EXP-NL) 2" meter flange x 2" female iron pipe | |
| 277 | Ford adjustable meter flange (CF38-77EXP-NL) 2" meter flange x 2" male iron pipe | |

SEXUAL HARASSMENT PREVENTION STATEMENT

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that the bidder has and has implemented a written policy addressing sexual harassment prevention in the workplace and provides annual sexual harassment prevention training to all of its employees. Such policy shall, at a minimum, meet the requirements of §201-G of the Labor Law.

Signature: 

Print Name: Paul Meissner

Title: Branch Manager

Company Name: Core & Main LP

Date: 7/22/24