



TOWN OF RIVERHEAD

Tim Hubbard, Supervisor

4 West 2nd Street
Riverhead, NY 11901
631-727-3200

**BID # 2025-04
2025-36-RWD**

BID FOR: WATER SERVICE MATERIALS

BIDDERS NAME _____

BIDDERS ADDRESS _____

CITY, STATE, ZIP _____

(____) _____ (____) _____
PHONE NUMBER FAX NUMBER

E-MAIL ADDRESS _____

In compliance with your advertisement for bids to be opened on **March 6, 2025**, subject to all conditions thereof, the undersigned hereby proposes to furnish the item(s) and/or service(s) itemized in this proposal in accordance with the Notice to Bidders, General Information Agreement and Specifications contained herein on the Bid Proposal Form attached.

Bidder certifies that the prices quoted herein do not include Federal Excise Tax or any Federal, New York State or City Sales Tax and are not higher than prices charged to any governmental or commercial consumer for like merchandise and/or service; and all prices include shipping and freight charges to any Municipal building or site within the Town of Riverhead.

Respectfully submitted,

SIGNED BY _____

TITLE _____

BIDDERS ARE INVITED TO ATTEND BID OPENING

**TOWN OF RIVERHEAD
NOTICE TO BIDDERS**

Sealed bids for **WATER SERVICE MATERIALS** will be received by the Town Clerk of the Town of Riverhead at Town Hall, 4 West 2nd Street, Riverhead, New York, 11901, until **11:00 a.m. on March 6, 2025**, at which time all bids will be opened and read aloud.

Bid Specifications and/or Plans may be obtained by visiting the Town of Riverhead website at www.townofriverheadny.gov on or after **February 27, 2025**. Click on "Bid Requests" and follow the instructions to register.

The Town Board reserves the right and responsibility to reject any or all bids or to waive any formality if it believes such action to be in the best interest of the Town.

BY ORDER OF THE TOWN BOARD
OF THE TOWN OF RIVERHEAD

James M. Wooten, Town Clerk

GENERAL SPECIFICATIONS

GENERAL

Bidders shall be responsible to carefully examine the Specifications enclosed.

Bidders shall furnish their price and/or lump sum bid as called for on the Bid Proposal Sheet(s) attached. **Bids must specify Manufacturer lead times if longer than 30 days.**

Alternates of equal or superior design and/or quality shall be listed separately and a Manufacturer's Specification Sheet shall be submitted with a bid. Failure to submit such data may result in the disallowing of said bid.

The equipment and all associated components shall be furnished complete and ready for use. The equipment furnished shall be the Manufacturer's latest listed and published model, or models, which meet all the applicable requirements of these Specifications. These Specifications require the doing of all things necessary or proper for, or incidental to, the furnishing and delivery of said equipment and associated components.

All things not expressly mentioned in these specifications, but involved in carrying out their intent are required by these Specifications; and the vendor shall perform the same as though they were specifically mentioned, described and delineated.

DISCOUNTS

If Bidder allows cash discount, it shall be as follows:

For payment within 15 days of delivery and/or receipt of voucher.

For payment within 30 days of delivery and/or receipt of voucher.

Discount less than 1% will not be considered.

Cash discounts will not be considered in determining low bidders, but will be taken into consideration in awarding tie bids.

COMPLIANCE WITH RULES AND REGULATIONS

The unit and associated equipment furnished shall comply with all provisions which would be applicable, if the Town of Riverhead were a private corporation of Federal and State of New York Laws, Ordinances, Codes, Rules, Regulations, Orders, Permits and Licenses and with fire underwriters requirement, except that where the weight and dimensions requirements set forth herein exceed such provisions, these Specifications shall control.

NO-LEAD COMPLIANCE

In January, 2011, **Senate Bill 3874** was signed into law and created the **Reduction of Lead in Drinking Act**, which amended the Safe Drinking Water Act to reduce the allowable lead content in all products in contact with drinking water from 8.0% to 0.25% (weighted average). Therefore, any brass products must meet the no-lead compliance pursuant to the above.

DEVIATION

Minor deviations from the provisions of these Specifications will be considered to permit manufacturers to follow their standard manufacturing process.

Such deviations will be approved, however, only in the sole discretion of the Town of Riverhead and only if in its opinion they do not adversely affect the operation, maintenance, strength, efficiency, effectiveness, or life of the unit or any of its parts.

All proposed minor deviations, with full details, must be listed on a separate Detail Sheet, which must be attached to and made part of this bid.

The Town of Riverhead reserves the absolute right and responsibility in its sole discretion to accept or reject any or all bids, or parts thereof, and waive any formality if it believes such action to be in the best interest of the Town.

GUARANTEE

The vendor warrants and guarantees the equipment herein specified, including all associated equipment furnished, against any defects in design, workmanship and materials, and against failure to operate satisfactorily for a period of six months from the date of acceptance of the units, except defects or failure shown by the vendor. The vendor also warrants and guarantees that the equipment herein specified, if found to be defective or in need of repairs, will be picked up from and delivered back to the Town of Riverhead within a reasonable length of time.

PRICES

If a like or lower quantity of a standard item contained in this bid is sold by a vendor at a price less than the prices quoted herein, the price to the Town of Riverhead shall be reduced to that lower price.

QUANTITY

The Town of Riverhead is in no way obligated to purchase quantities neither shown nor limited to said quantities listed.

CONTRACT PERIOD

The contract period shall commence the date a resolution is adopted by the Town Board and shall run for a period of **ONE (1)** year from that date. The contract may be extended in 1 year increments (not to exceed two extensions) for a total three- (3) year contract upon the same terms and conditions at the sole discretion of the Town of Riverhead and with the consent of the vendor(s).

RESERVATIONS

The mention in the specifications of any unit, component, or equipment by brand name and/or model is meant to convey to the potential bidder the type and quality of the product required and desired by the Town. Any unit, component, or equipment which is of equal type and quality may be considered as such and may be acceptable to the Town, upon agreement by the Town Board to that fact. The decision of the Town Board, however, in such a circumstance is final.

Furthermore, the Town Board of the Town of Riverhead reserves the right and responsibility to reject any or all bids if they believe such action to be in the best interest of the Town.

QUESTIONS

Any questions or clarification to the bid specifications must be submitted in writing to the Purchasing Agent at 4 West 2nd Street, Riverhead, NY 11901 or by email to: baldinucci@townofriverheadny.gov prior to the bid opening. Such questions must be in the possession of the Purchasing Agent at least 72 hours prior to the bid opening. **Verbal questions will not be entertained.**

FUEL SURCHARGES

The Town of Riverhead will not pay any type of fuel surcharge. Any fuel charges added to invoices and/or vouchers will be deleted from any payments to be made to the vendor.

DELIVERY

All pricing is to include delivery; the Town of Riverhead will not pay anything additional for delivery charges.

Delivery is to be made within **30 DAYS** after receipt of an order via purchase order. **Lead time must be listed at the time of order on the order acknowledgement.** Failure to do so will result in order cancellation and order being processed by the next bidder.

Notification of delivery must be made **24 hours** prior to accommodate receipt of goods or delivery may be refused.

All equipment delivered shall be delivered "**on the ground**" at the delivery point designated on the purchase order. All deliveries are F.O.B. destination.

PIGGYBACKING CLAUSE METHOD OF AWARD

The contract, if awarded, will be to the lowest responsive/responsible bidder(s) in part or in whole who meet(s) all the terms of the specifications. The TOWN guarantees no minimum or maximum purchases or contracts as a result of award of this bid. The Town of Riverhead reserves the right to allow all municipal and not for profit organizations authorized under the General Municipal Laws of the State of New York, to purchase any goods and/or services awarded as a result of this bid in accordance with the latest amendments to NYS GML 100 through 104. However, it is understood that the extension of such contracts are at the discretion of the vendor and the vendor is only bound to any contract between the Town of Riverhead and the vendor. Additionally, the TOWN reserves the right to purchase any goods or services included as a part of this bid from any means legally available to it.

IRAN DIVESTMENT ACT CERTIFICATION

As a result of the Iran Divestment Act of 2012 (Act), Chapter 1 of the 2012 Laws of New York, a new provision has been added to the State Finance Law (SFL), § 165-a, effective April 12, 2012. Under the Act, the Commissioner of the Office of General Services (OGS) will be developing a list (prohibited entities list) of “persons” who are engaged in “investment activities in Iran” (both are defined terms in the law). Pursuant to SFL § 165-a(3)(b), the initial list is expected to be issued no later than 120 days after the Act’s effective date, at which time it will be posted on the OGS website.

By submitting a bid in response to this solicitation or by assuming the responsibility of a Contract awarded hereunder, Bidder/Contractor (or any assignee) certifies that once the prohibited entities list is posted on the OGS website, it will not utilize on such Contract any subcontractor that is identified on the prohibited entities list.

Additionally, Bidder/Contractor is advised that once the list is posted on the OGS website, any Contractor seeking to renew or extend a Contract or assume the responsibility of a Contract awarded in response to the solicitation, must certify at the time the Contract is renewed, extended or assigned that it is not included on the prohibited entities list.

During the term of the Contract, should the TOWN OF RIVERHEAD receive information that a person is in violation of the above-referenced certification, the TOWN OF RIVERHEAD will offer the person an opportunity to respond. If the person fails to demonstrate that it has ceased its engagement in the investment which is in violation of the Act within 90 days after the determination of such violation, then the TOWN OF RIVERHEAD shall take such action as may be appropriate including, but not limited to, imposing sanctions, seeking compliance, recovering damages, or declaring the Contractor in default.

The TOWN OF RIVERHEAD reserves the right to reject any bid or request for assignment for an entity that appears on the prohibited entities list prior to the award of a contract, and to pursue a responsibility review with respect to any entity that is awarded a contract and appears on the prohibited entities list after contract award.

Signature: _____

Print Name: _____

Title: _____

Company Name: _____

Date: _____

ATTENTION

BIDDERS

IF YOU ARE NOT INTERESTED IN BIDDING THIS PARTICULAR PROJECT, PLEASE COMPLETE THE ATTACHED SHEET AND RETURN IT TO US.

WE ARE VERY INTERESTED IN LEARNING WHY YOU DO NOT BID. IF YOU SELL OTHER PRODUCTS AND WANT TO BE ON OUR BIDDER'S LIST, PLEASE LET US KNOW. PROVIDE A CONTACT NAME AND OTHER PERTINENT INFORMATION IF YOU WISH TO BE CONTACTED AT A LATER DATE FOR ANOTHER PRODUCT.

BID # 2025-36-RWD
WATER SERVICE MATERIALS

NON-BIDDER'S RESPONSE

VENDOR NAME: _____

For purposes of facilitating your firm's response to our invitation to bid, the Town of Riverhead is interested in ascertaining reasons for prospective bidders' failure to respond to invitations to bid. If your firm is not responding to this bid, please indicate the reason(s) by checking the appropriate item(s) below and returning this form to the Town of Riverhead Purchasing department at 4 West 2nd Street, Riverhead, N.Y. 11901.

We are not responding to this invitation to bid for the following reason(s):

- Items or materials requested not manufactured by us or not available to our company.
 Our items and/or materials do not meet specifications.
 Specifications not clearly understood or applicable (too vague, too rigid, etc.)
 Quantities too small.
 Insufficient time allowed for preparation of bid.
 Incorrect address used.

Correct address is: _____

Other reason(s): _____

NON-COLLUSIVE CERTIFICATE
(MUST BE COMPLETED, SIGNED, NOTARIZED AND RETURNED WITH BID)

UNDER PENALTIES OF PERJURY:

DEPOSES AND SAYS: (BIDDER), BEING DULY SWORN,

- A) This bid or proposal has been independently arrived at without collusion with any other bidder or with any competitor or potential competitor;
- B) This bid or proposal has not knowingly been disclosed, prior to the opening of bids or proposals for this project, to any other bidder, competitor, or potential competitor;
- C) No attempt has been made or will be made to induce any other person, partnership, or corporation to submit or not to submit a bid or proposal;
- D) The person signing this bid or proposal certifies that he has been fully informed regarding the accuracy of the statements contained in this certification, and under penalties of perjury, affirms the truth thereof, such penalties being applicable to the bidder as the person signing on its behalf; and
- E) That the attached hereto (if a corporate bidder) is a certified copy of a resolution authorizing the execution of this certificate by the signatory of this bid or proposal on behalf of the corporate bidder.

Corporation: _____
(PRINT CORPORATION NAME)

By: _____
(SIGNATURE)

(TITLE)

Address: _____

Sworn to before me this

____ day of _____, 20 ____

NOTARY PUBLIC

**I/WE FULLY UNDERSTAND THAT THE ACCEPTANCE OF THIS BID IS SUBJECT TO
THE PROVISIONS OF SECTION 103A AND 103B OF THE GENERAL MUNICIPAL LAW.**

<hr/> DATE	<hr/> NAME OF AGENT/DEALER
	<hr/> ADDRESS
	<hr/> CITY, STATE, ZIP CODE
	<hr/> CONTACT PERSON
	<hr/> SIGNATURE OF DEALER/AGENT

SEXUAL HARASSMENT PREVENTION STATEMENT

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that the bidder has and has implemented a written policy addressing sexual harassment prevention in the workplace and provides annual sexual harassment prevention training to all of its employees. Such policy shall, at a minimum, meet the requirements of §201-G of the Labor Law.

Signature: _____

Print Name: _____

Title: _____

Company Name: _____

Date: _____

BID SPECIFICATIONS FOR WATER SERVICE MATERIALS - BID #RWD-2025-36

BIDDER NAME:

ITEM #	DESCRIPTION	PRICE
1	24" bottom ID x 21" ID top x 48" long thermoplastic meter pit, notched (3"x4") in addition, pit wall thickness should be no more than .7" and no less than .3" SRMP212448FBW	
2	36" bottom ID x 36" ID top x 48"-long thermoplastic meter pit, notched (3" x 4") 180°. in addition, pit wall thickness should be no more than .7" and no less than .3" (provide cut sheet)	
3	Ford A4-T ductile iron meter pit cover, or equal (provide cut sheet)	
4	Ford MC-36-T large meter pit cover, or equal (provide cut sheet)	
5	Ford FIB 48" X 48" x 3/32" thick meter pit insulating blanket	
6	Ford ER25AW 2½" elevator ring for Wabash covers	
7	Ford ER4AW 4" elevator ring for Wabash covers	
8	Ford MC-24-TT large monitor cover with Ext-5 extension ring	
9	Pollard meter pit key part PP54102 or equivalent	
10	Heavy duty frames & covers (see attached spec sheet)	
11	Ford ¾" F1000-3-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS)	
12	Ford 1" F1000-4-G QNL Corporation stop, AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS)	
13	Ford 1½" FB1000-6-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS)	
14	Ford 2" FB1000-7-G QNL ballcorp AWWA/CC taper thread inlet by pack joint outlet for copper or plastic tubing (CTS)	
15	Ford 2" FB1100-7-G QNL ballcorp-male iron pipe thread inlet by pack joint outlet for copper or plastic tubing (CTS)	
16	Ford ¾" F600-3 NL AWWA/CC taper thread inlet by flared copper outlet	
17	Ford 1" F600-4 NL AWWA/CC taper thread inlet by flared copper outlet	
18	Ford ¾" L02-33 NL quarter bend female copper thread by flare copper (less nuts)	
19	Ford 1" L02-44S NL quarter bend female copper tread swivel nut by flare copper	

ITEM #	DESCRIPTION	PRICE
20	Ford 3/4" L04-33S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS)	
21	Ford 1" L04-44S NL quarter bend female copper thread swivel nut by pack joint for copper or plastic tubing (CTS)	
22	Ford 6" FC202-(669, 690, 760)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.**	
23	Ford 8" FC202-(871, 905, 979)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.**	
24	Ford 10" FC202-(1075, 1110, 1212)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.**	
25	Ford 12" FC202-(1275, 1320, 1438)-(CC3, CC4, CC6, CC7)-(IP3, IP4, IP6, IP7) double stainless steel band or epoxy coated service double strap saddle.**	
26	Ford Y501 iron yoke bar for 5/8" meter size	
27	Ford Y503 iron yoke bar for 3/4" meter size	
28	Ford Y504 iron yoke bar for 1" meter size	
29	Ford EC-1 NL 5/8" standard expansion connection	
30	Ford EC-23 NL 3/4" standard expansion connection	
31	Ford EC-4 NL 1" standard expansion connection	
32	Ford GT-108 5/8" rubber gasket	
33	Ford GT-112 5/8" yoke gasket	
34	Ford GT-120 1" gasket	
35	Ford GT-123 flat washer for 1" expander	
36	Ford GT-210 flat washer for 5/8" expander	
37	Ford GT-211 flat washer for 1" meter	
38	Ford GT-34 beveled washer for 1" expander	
39	Ford GT-32 beveled washer for 5/8" expander	
40	Ford B44-777 QNL ball valve curb stop 2" size x 2" x 2" pack joint for copper or plastic (CTS)	
41	Ford AV92-313W NL angle yoke key valve 3/4" size x 3/4" flare copper x 5/8" meter	

ITEM #	DESCRIPTION	PRICE
42	Ford AV92-323W NL angle yoke key valve $\frac{3}{4}$ " size x $\frac{3}{4}$ " flare copper x $\frac{3}{4}$ " meter	
43	Ford AV92-444W NL angle yoke key valve 1" size x 1" flare copper x 1" meter	
44	Ford AV94-313W NL angle yoke key valve $\frac{3}{4}$ " size x $\frac{3}{4}$ " pack joint (CTS) x 5/8" meter	
45	Ford AV94-444W NL angle yoke key valve 1" size x 1" pack joint (CTS) x 1" meter	
46	Ford HA91-444D NL angle check valve for yokes 1" size x 1" meter x 1" FIP	
47	Ford HA92-313D NL angle check valve for yokes $\frac{3}{4}$ " size x 5/8" meter x $\frac{3}{4}$ " flare copper	
48	Ford B22-333 QNL ball valve curb stop $\frac{3}{4}$ " size x $\frac{3}{4}$ " x $\frac{3}{4}$ " flare copper both ends	
49	Ford B22-444 QNL ball valve curb stop 1" size x 1" x 1" flare copper both ends (no reducer port)	
50	Ford B44-333 QNL ball valve curb stop $\frac{3}{4}$ " X $\frac{3}{4}$ " X $\frac{3}{4}$ " pack joint for CTS	
51	Ford B44-444 QNL ball valve curb stop 1" X 1" X 1" pack joint for CTS	
52	Ford B44-666 QNL ball valve curb stop 1 $\frac{1}{2}$ " size x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " pack joint for copper or plastic (CTS)	
53	Ford A14 NL meter adapter to change 5/8" meter to 1" meter spud size and length	
54	Ford C44-33 QNL pack joint coupling $\frac{3}{4}$ " x $\frac{3}{4}$ "	
55	Ford C44-34 QNL pack joint coupling $\frac{3}{4}$ " x 1"	
56	Ford C44-44 QNL pack joint coupling 1" x 1"	
57	Ford C44-66 QNL pack joint coupling 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ "	
58	Ford C44-77 QNL pack joint coupling 2" x 2"	
59	Ford C45-33 QNL pack joint coupling $\frac{3}{4}$ " CTS x $\frac{3}{4}$ " IP	
60	Ford C45-34 QNL pack joint coupling $\frac{3}{4}$ " CTS x 1" IP	
61	Ford C45-43 QNL pack joint coupling 1" CTS x $\frac{3}{4}$ " IP	
62	Ford C45-44 QNL pack joint coupling 1" CTS x 1" IP	
63	Ford C45-45 QNL pack joint coupling 1" CTS x 1 1/4" IP	

ITEM #	DESCRIPTION	PRICE
64	Ford T444-333 QNL 3/4" CTS X 3/4" CTS, service tee pack joint	
65	Ford T444-444 QNL 1" CTS X 1" CTS, service tee pack joint	
66	Ford T444-666 QNL 1 1/2" x 1 1/2" x 1 1/2" service tee pack joint	
67	Ford T444-777 QNL 2" x 2" x 2" service tee pack joint	
68	Mueller H-15403N 3/4" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends	
69	Mueller H-15403N 1" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends	
70	Mueller H-15403N 1 1/2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends	
71	Mueller H-15403N 2" straight 3-part union Mueller 110 conductive compression connection for CTS O.D. both ends	
72	Mueller H-15451N 1 1/2" conductive compression CTS x FIP	
73	Mueller H-15451N 2" conductive compression CTS x FIP	
74	Mueller N-35428N 1" MIP inlet x Mueller 110 compression connection CTS 1" outlet	
75	Mueller N-35071N 3/4" insulated straight service connection 3/4" female copper flare x 3/4" CTS outlet	
76	Mueller P-15381N 1 1/2" X 1 1/2" X 1" service tee pack joint connection for CTS O.D.	
77	Mueller P-15381N 2" X 2" X 1" service tee pack joint connection for CTS O.D.	
78	Mueller P-15343N 1" X 1 1/2" two brand-body pack joint for CTS O.D. tubing, or equal	
79	Mueller H-15343N 1" X 2" two branch-body 110 conductive compression connection for CTS O.D. tubing, or equal	
80	3/4" threaded rod coupling nut.	
81	1" x 100' type "K" copper.(roll)	
82	3/4" x 100' type "K" copper.(roll)	
83	3/4" x 400' PVC tubing, water grade rated at 160-200 psi. (roll)	
84	1" x 300' PVC tubing, water grade rated at 160-200 psi.(roll)	
85	1 1/2" x 300' PVC tubing, water grade rated at 160-200 psi.(roll)	

ITEM #	DESCRIPTION	PRICE
86	Mueller H-15346N 1" X 2" three branch fitting, or equal	
87	Ford 6" FS1-(635, 696, 724, 745, 785) x 12.5 stainless steel repair clamp.	
88	Ford 8" FS1-(835, 894, 939, 967) x 12.5 stainless steel repair clamp.	
89	Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 12.5 stainless steel repair clamp.	
90	Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 12.5 stainless steel repair clamp.	
91	Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp	
92	Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp	
93	Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp	
94	Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp	
95	Ford 6" FS1-(635, 696, 724, 745, 785) x 15 stainless steel repair clamp CC3/CC4	
96	Ford 8" FS1-(835, 894, 939, 967) x 15 stainless steel repair clamp CC3/CC4	
97	Ford 10" FS1-(1010, 1104, 1144, 1174, 1215) x 15 stainless steel repair clamp CC3/CC4	
98	Ford 12" FS1-(1240, 1302, 1350, 1380, 1410, 1440) x 15 stainless steel repair clamp CC3/CC4	
99	Ford 6" FC-1 ductile iron coupling with gasket and end rings.	
100	Ford 8" FC-1 ductile iron coupling with gasket and end rings.	
101	Ford 10" FC-1 ductile iron coupling with gasket and end rings.	
102	Ford 12" FC-1 ductile iron coupling with gasket and end rings.	
103	Ford BBAA-43-NL 1" male AWWA Taper Thread x 3/4" female AWWA Taper Thread	
104	4" Mechanical joint C153 long sleeve - ductile iron	
105	6" Mechanical joint C153 long sleeve - ductile iron	
106	8" Mechanical joint C153 long sleeve - ductile iron	
107	10" Mechanical joint C153 long sleeve - ductile iron	

ITEM #	DESCRIPTION	PRICE
108	12" Mechanical joint C153 long sleeve - ductile iron	
109	6" HYMAX 2000-0768-260 coupling (6.42-7.68 range)	
110	8" HYMAX 2000-0984-260 coupling (8.54-9.84 RANGE)	
111	10" HYMAX 2000-1200-260 coupling (10.70-12.00 RANGE)	
112	12" HYMAX 2000-1441-260 coupling (13.15-14.41 RANGE)	
113	Ford 4" UFR-1300-(S, C)-4 uni-flange Block Buster Series 1300 pipe restraint	
114	Ford 6" UFR-1300-(S, C)-6 uni-flange Block Buster Series 1300 pipe restraint	
115	Ford 8" UFR-1300-(S, C)-8 uni-flange Block Buster Series 1300 pipe restraint	
116	Ford 10" UFR-1300-(S, C)-10 uni-flange Block Buster Series 1300 pipe restraint	
117	Ford 12" UFR-1300-(S, C)-12 uni-flange Block Buster Series 1300 pipe restraint	
118	HYMAX FLIP 2 Extended Range Transition Coupling 2"	
119	HYMAX FLIP 2 Extended Range Transition Coupling 3"	
120	HYMAX FLIP 2 Extended Range Transition Coupling 4"	
121	HYMAX FLIP2 Extended Range Transition Coupling 6"	
122	HYMAX FLIP2 Extended Range Transition Coupling 8"	
123	HYMAX FLIP2 Extended Range Transition Coupling 10" Undersize	
124	HYMAX FLIP2 Extended Range Transition Coupling 10" Oversize	
125	HYMAX FLIP2 Extended Range Transition Coupling 12" Undersize	
126	HYMAX FLIP2 Extended Range Transition Coupling 12" Oversize	
127	Ford 6" UFR-1400-DA-6-U Series 1400 wedge action retainer gland	
128	Ford 8" UFR-1400-DA-8-U Series 1400 wedge action retainer gland	
129	Ford 10" UFR-1400-DA-10-U Series 1400 wedge action retainer gland	

ITEM #	DESCRIPTION	PRICE
130	Ford 12" UFR-1400-DA-12-U Series 1400 wedge action retainer gland	
131	Ford 6" UFR-1400-DA-6-XL-U Series 1400 wedge action retainer gland	
132	Ford 8" UFR-1400-DA-8-XL-U Series 1400 wedge action retainer gland	
133	Ford 10" UFR-1400-DA-10-XL-U Series 1400 wedge action retainer gland	
134	Ford 12" UFR-1400-DA-12-XL-U Series 1400 wedge action retainer gland	
135	Ford 4" UFA-200-(S, C)-4 uni-flange adapter flange Series 200	
136	Ford 6" UFA-200-(S, C)-6 uni-flange adapter flange Series 200	
137	Ford 8" UFA-200-(S, C)-8 uni-flange adapter flange Series 200	
138	Ford 10" UFA-200-(S, C)-10 uni-flange adapter flange Series 200	
139	Ford 12" UFA-200-(S, C)-12 uni-flange adapter flange Series 200	
140	Smith Blair 4" 274 bell joint repair clamp	
141	Smith Blair 6" 274 bell joint repair clamp	
142	Smith Blair 8" 274 bell joint repair clamp	
143	Smith Blair 10" 274 bell joint repair clamp	
144	Smith Blair 12" 274 bell joint repair clamp	
145	ROMAC 4" grap-(DI & IP) gripping pipe restrainer.	
146	ROMAC 6" grap-(DI & IP) gripping pipe restrainer.	
147	ROMAC 8" grap-(DI & IP) gripping pipe restrainer.	
148	ROMAC 10" grap-(DI & IP) gripping pipe restrainer.	
149	ROMAC 12" grap-(DI & IP) gripping pipe restrainer.	
150	6" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve	
151	8" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve	

ITEM #	DESCRIPTION	PRICE
152	10" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve	
153	12" MJ cast iron sleeve, less accessories - domestic casting Duo sleeve	
154	6" x 6" x 6" hydrant tee, less accessories - domestic casting	
155	8" x 8" x 6" hydrant tee, less accessories - domestic casting	
156	10" x 10" x 6" hydrant tee, less accessories - domestic casting	
157	12" x 12" x 6" hydrant tee, less accessories - domestic casting	
158	6" mechanical joint with 90° bend, less accessories	
159	6" mechanical joint with 45° bend, less accessories	
160	6" mechanical joint with 22° bend	
161	6" push-on DI pipe cl52, specify length 20' 6" push-on DI pipe cl52, specify length 18" 6" push-on DI pipe cl52, specify length 20"	
162	8" push-on DI pipe cl52, specify length 20' 8" push-on DI pipe cl52, specify length 18' 8" push-on DI pipe cl52, specify length 20'	
163	10" push-on DI pipe cl52, specify length 20' 10" push-on DI pipe cl52, specify length 18' 10" push-on DI pipe cl52, specify length 20'	
164	12" push-on DI pipe cl52, specify length 20' 12" push-on DI pipe cl52, specify length 18' 12" push-on DI pipe cl52, specify length 20'	
165	6" Blue Brute C900 DR18 water pipe, specify length	
166	8" Blue Brute C900 DR18 water pipe, specify length	
167	6" wedge action restraint for mechanical joint (PVC4006G2)	
168	8" wedge action restraint for mechanical joint (PVC4008G2)	
169	6" DI low alloy steel & rubber mechanical joint accessory pack (IMJBGPU)	
170	8" DI low alloy steel & rubber mechanical joint accessory pack (IMJBGPX)	
171	10" DI low alloy steel & rubber mechanical joint accessory pack (IMJGP10)	

ITEM #	DESCRIPTION	PRICE
172	12" DI low alloy steel & rubber mechanical joint accessory pack (IMJBGP12)	
173	6" mechanical joint pipe restraint for C-900 (PWM-C6)	
174	6" clamp joint restraint for AWWA C-900 PVC pipe (PRC1106G2)	
175	8" clamp joint restraint for AWWA C-900 PVC pipe (PRC1108G2)	
176	8" mechanical joint pipe restraint for C-900 (PWM-C8)	
177	Mueller 6" A-2361 MJ resilient wedge gate valve.	
178	Mueller 8" A-2361 MJ resilient wedge gate valve.	
179	Mueller 10" A-2361 MJ resilient wedge gate valve.	
180	Mueller 12" A-2361 MJ resilient wedge gate valve.	
181	Mueller 6" HC-2361-44-D-150 MJ cut-in valve.	
182	Mueller 8" HC-2361-44-D-150 MJ cut-in valve.	
183	Mueller 10" HC-2361-44-D-150 MJ cut-in valve.	
184	Mueller 12" HC-2361-44-D-150 MJ cut-in valve.	
185	Mueller Super Centurion 250 4 1/2" MVO fire hydrant with acuagrip foot & 5' bury.	
186	Mueller Super Centurion 6" hydrant extension kit.	
187	Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury square nuts	
188	Mueller Super Centurion 350 PSI fire hydrant w/ 4 1/2 MVO & 6" MJ foot & 5' bury 5 sided nuts	
189	Mueller Super Centurion 1' hydrant extension kit.	
190	Mueller hydrant repair stems, 4 1/2" MVO (all models)	
191	Clow Medalion 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury.	
192	Clow Medalion 6" hydrant extension kit.	
193	Clow Medalion 1' hydrant extension kit.	

ITEM #	DESCRIPTION	PRICE
194	Clow Medalion fire hydrant breakaway repair kit.	
195	Kennedy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury.	
196	KENNEDY 4 1/2" MVO hydrant repair kit	
197	KENNEDY 6" hydrant extension kit.	
198	KENNEDY 1' hydrant extension kit.	
199	Eddy 4 1/2" MVO fire hydrant with 6" MJ foot & 5' bury.	
200	Clow Eddy F-2640 4 1/2" fire hydrant breakaway repair kit.	
201	Mueller Super Centurion 250 fire hydrant breakaway repair kit.	
202	Mueller Super Centurion 350 fire hydrant breakaway repair kit	
203	Fire hydrant breakaway repair kit with brass safety stem coupling.	
204	6" pipe clamp and washers.	
205	8" pipe clamp and washers.	
206	10" pipe clamp and washers.	
207	12" pipe clamp and washers.	
208	Bucket of nuts and eye bolts for hydrant rod (specify quantity in bucket <u>50</u>).	
209	Bucket of ductile iron duc-lugs (specify quantity in bucket <u> </u>).	
210	3/4" tie bolts.	
211	3/4" x 6' threaded hydrant rod.	
212	2" x 300' PVC tubing, water grade rated at 160-200 psi.	
213	25 lbs. lead wool (indicate if price is per pound or per 25 pounds; i.e., \$10.00/lb or \$10/25 lbs).	
214	4" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel.	
215	6" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel.	


ITEM #	DESCRIPTION	PRICE
216	8" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel.	
217	10" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel.	
218	12" Mueller Line Seal III butterfly valve, flange x flange, with hand wheel.	
219	4" full-face glange gasket and bolt kit-1/8" thickness.	
220	6" full-face glange gasket and bolt kit-1/8" thickness.	
221	8" full-face glange gasket and bolt kit-1/8" thickness.	
222	10" full-face glange gasket and bolt kit-1/8" thickness.	
223	12" full-face glange gasket and bolt kit-1/8" thickness.	
224	Reflective fiberglass hydrant flag, plate-mount flat, 64" X .375", reflective red & white color	
225	Reflective mini flat, 4" X 5" for .375 shaft, reflective red & white color	
226	¾" CC drill & tap for "Mueller B101" tapping machine	
227	1" CC drill & tap for "Mueller B101" tapping machine	
228	1 ¾" carbide-tip hole saw cutter	
229	¼" carbide-tip pilot cutter	
230	Silver reflective paint (price per quart)	
231	Safety orange hydrant paint (Rust-Oleum enamel brush-on/roll-on only - price per gallon).	
232	Markout paint (AWWA blue) 20 oz. cans, or equal	
233	MA013922 food-grade anti-seize, 1 lb., or equal	
234	SIGMA 1" cast iron valve box riser	
235	SIGMA 1.5" cast iron valve box riser	
236	SIGMA 2" cast iron valve box riser	
237	SIGMA 3" cast iron valve box riser	

ITEM #	DESCRIPTION	PRICE
238	SIGMA 4" cast iron valve box riser	
239	SIGMA 6" cast iron valve box riser	
240	SIGMA valve box complete with covers & 16" top section (all cast iron)	
241	16" ductile iron valve box top flange top section with cover	
242	Domestic valve box cover	
243	SIGMA valve box bottom section (cast iron)	
244	SIGMA 16" cast iron line valve box top section	
245	SIGMA 26" cast iron line valve box top section	
246	Buffalo-type 2 1/2" cast iron valve box	
247	Mueller H-10373 2 1/2" repair lids for new style Buffalo-type curb box	
248	Mueller H-10374 2 1/2" repair lids for old style Buffalo-type curb box	
249	Mueller H-10374 3" repair lids for old style Buffalo-type curb box	
250	Mueller H-10310 curb box complete for 1 1/2" x 2" service	
251	CH15535 3/4" copper disk	
252	DH15535 1" copper disk	
253	Diamond blade for cured concrete, 14" x .125 x 1"	
254	Diamond blade for green concrete/asphalt, 14" x .125 X 1"	
255	Diamond blade for D.I., 14" x .125 x 1"	
256	Husqvarna K760 gas powered saw Core & Main K770-14"	
257	CST magnetic locator, Model 100, or equal (Core & Main Shoenstedt 6A-52CX)	
258	Ford 3/4" C44-33-4-75-Q-NL extended length coupling with quick joint	
259	Ford 1" C44-44-4-75-Q-NL extended length coupling with quick joint	

ITEM #	DESCRIPTION	PRICE
260	Ford 3/4" FSC-088-642 pipe OD .875 stainless steel dual-armor clamp	
261	Ford 3/4" FSC-105-6R2 pipe OD 1.05 stainless steel dual-armor clamp	
262	Ford 1" FSC-113-6R2 pipe OD 1.125 stainless steel dual-armor clamp	
263	Ford 1" FSC-132-6R2 pipe OD 1.32 stainless steel dual-armor clamp	
264	Ford 1 1/4" FSC-138-6R2 pipe OD 1.375 stainless steel dual-armor clamp	
265	Ford 1 1/4" FSC-166-6R2 pipe OD 1.66 stainless steel dual-armor clamp	
266	Ford 1 1/2" FSC-163-6R2 pipe OD 1.625 stainless steel dual-armor clamp	
267	Ford 1 1/2" FSC-190-6R2 pipe OD 1.90 stainless steel dual-armor clamp	
268	Ford 2" FSC-213-6R2 pipe OD 2.125 stainless steel dual-armor clamp	
269	Ford 2" FSC-238-6R2 pipe OD 2.38 stainless steel dual-armor clamp	
270	Ford 1 1/2" VBHH76-24-44-66 NL irrigation coppersetter, no by-pass	
271	Ford 2" VBHH77-24-44-77 NL irrigation coppersetter, no by-pass	
272	Ford 1 1/2" VBHH76-24HB-44-66 NL domestic coppersetter, high by-pass	
273	1 1/2" VBHH76-24HBSLC-44-66-NL w/locking high bypass	
274	2" VBHH77-24HBSLC-44-77-NL w/locking high bypass	
275	Ford 2" VBHH77-24HB-44-77 NL domestic coppersetter, high by-pass	
276	Ford PTP-BR plastic AMR plug	
277	Ford PTP-BR-3-25 plastic AMR plug	
278	B & T curb box top 20" P2TL20W	
279	W3BPO plastic inner lid	
280	W3PD plastic inner lid	
281	Ford WA3L-T meter pit covers (lid only)	


ITEM #	DESCRIPTION	PRICE
282	Ford Meter Box Cover (A4PR-BR style)	
283	Ford Plastic Lid for Iron Frame (WA3LPR-BR style)	
284	Bingham & Taylor BTA 32 cast iron lid w/recess thru-hole for Sensus transmitter (IFL180BTA32TR)	
285	Bingham & Taylor 12.25" A Style plastic lid w/recessed thru-hole for Sensus (NCUL12.25PWATTHS)	
286	Bingham & Taylor #180-21-AW-EH-TR Meter Frame (CULF18021AWEH)	
287	Clow 6" F-6111 MJ cut-in valve	
288	Clow 8" F-6111 MJ cut-in valve	
289	Clow 10" F-6111 MJ cut-in valve	
290	Clow 12" F-6111 MJ cut-in valve	
291	MJ Plug for 6'/8"/10"/12"	
292	MJ Cap for 6"/8"/10"/12"	
293	Ford Swivel eighth bend LA04-44S-G	
294	Ford adjustable meter flange (CF31-77EXP-NL) 2" meter flange x 2" female iron pipe	
295	Ford adjustable meter flange (CF38-77EXP-NL) 2" meter flange x 2" male iron pipe	

ITEM 9 SPECIFICATIONS



PLEASE
SPECIFY.....

- SEWER
- STORM
- SANITARY SEWER
- DRAIN
- ELECTRIC
- PLAIN
- COMMUNICATION
- TELEPHONE
- OTHER — **WATER**
OR BLANK



MODEL	C	H	D	OD	T
4001-A	24	3	22	34 OR 36	1 3/8 OR 1 1/4
4001-B	24	4	22	34 OR 36	1 3/8 OR 1 1/4
4001-C	24	5	22	34 OR 36	1 3/8 OR 1 1/4
4001-D	24	7	22	34 OR 36	1 3/8 OR 1 1/4
4001-E	24	8	22	34 OR 36	1 3/8 OR 1 1/4
4001-F	24	9	22	34 OR 36	1 3/8 OR 1 1/4

MATERIALS : CONFORMS TO ASTM A48 CLASS 30B OR 35B SPECIFICATIONS
LOAD RATING : FOR A.A.S.H.T.O. & NR 20-44 HIGHWAY LOADING

HEAVY DUTY FRAMES & COVERS

24

Please complete and affix to your sealed bid envelope.



BIDDER: _____

ADDRESS: _____

BID NAME: WATER SERVICE MATERIALS
BID #2025-36-RWD

BID OPENING DATE: March 6, 2025
TIME: 11:00 am

BIDS MUST BE DELIVERED TO:

**TOWN OF RIVERHEAD
TOWN CLERKS OFFICE
4 West 2nd Street
RIVERHEAD, NY 11901**

PRIOR TO 11:00 AM ON March 6, 2025

LATE BIDS WILL NOT BE ACCEPTED FOR ANY REASON